

Order III. PHYSONECTÆ, Haeckel (**95**, p. 38).Family X. CIRCALIDÆ, Hkl. (**95**, p. 38).Genus 36. *Circalia*, Hkl. (**95**, p. 38).

131. *Circalia stephanoma*, Hkl. (Report, p. 198, Pl. XXI. figs. 1–4). North Atlantic.
 132. *Circalia haplorhiza*, Hkl. (= *Physophora alba*, Quoy et Gaim., **2**, pl. i. figs. 1–9; = *Haplorhiza alba*, L. Agassiz, **36**, p. 368). South Atlantic.
 133. *Circalia papillosa*, Hkl. (= *Agalma papillosum*, Fewk., **44**, pl. v. figs. 5, 6). Tropical Atlantic (?).

Family XI. ATHONIDÆ, Hkl. (**95**, p. 38).Genus 37. *Athoria*, Hkl. (**95**, p. 39).

134. *Athoria larvalis*, Hkl. (Report, p. 202, Pl. XXI. figs. 5–8). Indian Ocean.
 135. *Athoria bractealis*, Hkl. (Report, p. 201). South Pacific, Station 288 (?).

Genus 38. *Athoralia*, Hkl. (**95**, p. 39).

136. *Athoralia coronula*, Hkl. (Morph. Siphon.). Indian Ocean.

Family XII. APOLEMIDÆ, Hxly. (**9**, p. 70).Genus 39. *Dicymba*, Hkl. (**95**, p. 39).

137. *Dicymba diphyopsis*, Hkl. (Report, p. 210, Pl. XVIII. figs. 1–7). Indian Ocean.

Genus 40a. *Apolemia*, Esch. (**1**, p. 143).

138. *Apolemia uvaria*, Esch. (**4**, Taf. vi. figs. 6–9; **7**, p. 319, Taf. xviii. figs. 1–4; **8**, Taf. xii. figs. 8–11, &c.). Mediterranean.

Genus 40b. *Apolemopsis*, Brandt (**25**, p. 36).

139. *Apolemopsis uviformis*, Hkl. (= *Stephanomia uviformis*, Lesueur, in an unpublished plate, and **15**; = *Apolemia lesueuria*, Lesson, **3**, p. 518). North Atlantic.
 140. *Apolemopsis dubia*, Brdt. (**25**, p. 36). Tropical Pacific.