SUMMARY OF RESULTS.

SCAPHOPODA and GASTEROPODA (Watson, Zool. pt. 42).

Dentalium ægeum, n.sp. (110 fathoms); obtained at no other locality.

Patella fuegiensis, Reeve. (Rocks and 20 to 60 fathoms); obtained at no other locality by the Challenger. Recorded from Tierra del Fuego, Falklands, and Kerguelen.

,, kerguelensis, Smith. (Rocks and 40 fathoms); obtained also at Heard Island, shore. Recorded from Kerguelen.

Puncturella noachina (Linné), var. princeps, Mighels. (60 fathoms); for distribution see Station 145.

Trochus (Photinula) expansus (Sowerby). (25 to 60 fathoms); obtained also at Station 145 and Falkland Islands.

,, (Margarita) charopus, n.sp. (105 fathoms); obtained also at Station 151, 75 fathoms (var. cæruleus).

Scissurella obliqua, n.sp. (Shore); obtained at no other locality.

Trophon albolabratus, Smith. (25 to 60 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.

" septus, n.sp. (28 fathoms); obtained at no other locality.

Fusus (Neptunea) regulus, n.sp. (28 fathoms); obtained at no other locality.

,, (Euthria) chloroticus, Martens. (20 to 105 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.

" (") fuscatus (Bruguière). (25 fathoms); obtained also at Stations 315 and 316, 4 to 12 fathoms. Recorded from Peru.

Buccinum albozonatum, n.sp. (28 fathoms); obtained at no other locality.

- Neobuccinum eatoni, Smith. (Rocks and 20 to 25 fathoms); obtained also at Station 151, 75 fathoms. Recorded from Kerguelen.
 - ,, vestitum (Martens). (20 to 28 fathoms); obtained also at Station 151, 75 fathoms. Recorded from Kerguelen.
- Provocator pulcher, n.g., n.sp. (105 fathoms); obtained also at Station 150, 150 fathoms. Only species of the genus.

Volutomitra fragillima, n.sp. (28 fathoms); obtained at no other locality.

Cancellaria (Admete) specularis, n.sp. (25 fathoms); obtained also at Station 151, 75 fathoms.

", (,,) carinata, n.sp. (28 fathoms); obtained at no other locality. ", (,,) sp. (?) (specularis?). One broken specimen (60 fathoms). Pleurotoma (Surcula) staminea, n.sp. (105 fathoms); obtained also at Station 146. ", (Typhlomangelia) fluctuosa, n.sp., var. cariosa, nov. One specimen (28 fathoms); the species obtained also at Station 151, 75 fathoms.

KERGUELEN.