# Eryngium sarcophyllum, Hook. et Arn.

Eryngium sarcophyllum, Hook. et Arn. in Hook. Bot. Misc., iii. p. 352; Gay, Fl. Chil., iii. p. 117. MASAFUERA.—Endemic. Without any memorandum—Cuming, 1355.

We have only seen the one specimen upon which the species was founded.

#### Sanicula liberta, Ch. et Schl.

Sanicula liberta, Ch. et Schl. in Linnæa, i. p. 253; DC., Prodr., iv. p. 84; Gay, Fl. Chil., iii. p. 109. Sanicula crassicaulis, Poeppig; DC., Prodr., iv. p. 84.

JUAN FERNANDEZ. Reed; Moseley.

A native of Peru and Chili, not in any of the earlier collections from the island, and probably of recent introduction there. We have not seen ripe fruit of this species, but in most of them it is furnished with barbed prickles, and thereby readily conveyed from place to place.

## Daucus australis, Poeppig.

Daucus australis, Pœppig in DC., Prodr., iv. p. 214; Gay, Fl. Chil., iii. p. 136; Philippi in Bot. Zeit., 1856, p. 628.

# JUAN FERNANDEZ (ex Philippi).

Common in Chili, and perhaps of recent introduction in the island, as it does not occur in the early collections.

## GAMOPETALÆ.

#### RUBIACEÆ.

#### Coprosma triflora, Benth. et Hook.

Coprosma triflora, Benth. et Hook., Gen. Plant., ii. p. 139. Psychotria hookeri, Don, Gen. Syst. Gard., iii. p. 585; Gay, Fl. Chil., iii. p. 198. Psychotria triflora, Hook. et Arn. in Hook. Bot. Misc., iii. p. 359, non Schum. Hippotis triflora, Bertero in Ann. Sc. Nat., xxi. p. 347, non Ruiz et Pavon.

JUAN FERNANDEZ.—Endemic. Very common—Bertero, 1466; Cuming, 1337; Reed; Moseley.

The genus Coprosma comprises between thirty and forty species, mostly inhabiting New Zealand and the Sandwich Islands, and a few Oceania and Australia.

# Psychotria pyrifolia, Hook. et Arn.

Psychotria pyrifolia, Hook. et Arn. in Hook. Bot. Misc., iii. p. 360; Gay, Fl. Chil., iii. p. 199.

JUAN FERNANDEZ.—In the more elevated mountain woods—Bertero. MASAFUERA. Reed.

"Peralillo" of the inhabitants of Juan Fernandez, according to Bertero.