13. Eulima latipes, Watson (Pl. XXXVI. fig. 3).

Eulima latipes, Watson, Prelim. Report, pt. 17, Journ. Linn. Soc. Lond., vol. xvii. p. 120, sp. 11.

September 8, 1874. Flinders Passage, Torres Strait. 7 fathoms.

Shell.—Squat, with a broad flat base, a rapidly contracting bent spire, a small tip, convex whorls, an impressed suture, and a small pear-shaped mouth. Sculpture: none. Colour glassy white. Apex very small, acuminately symmetrically rounded. Spire small and bent above, enlarging very rapidly in breadth, with concave profile-lines. Whorls 9, short, broad, of slow increase, slightly convex. Suture slight, a little impressed, scarcely oblique. Mouth small, pear-shaped. Outer lip arched, its edge retreats above, is rounded in the middle, and is patulous throughout. Inner lip is continuously arched across the body and down the short broad pillar. H. 0.093 in. B. 0.045. Penultimate whorl, height 0.015. Tip of apex, breadth 0.002. Mouth, height 0.029, breadth 0.019.

This species is remarkable for the breadth of its base and the smallness of its tip. Unfortunately it is not very well represented, the specimen which I regard as full-grown being rubbed and chipped, and the two which are perfect being young and imperfectly developed, especially about the mouth.

14. Eulima famelica, Watson (Pl. XXXVI. fig. 4).

Eulima famelica, Watson, Prelim. Report, pt. 17, Journ. Linn. Soc. Lond., vol. xvii. p. 121, sp. 12.

Station 75. July 2, 1873. Lat. 38° 38' N., long. 28° 28' 30" W. Fayal, Azores. 450 fathoms. Volcanic mud.

Shell.—Slightly more cylindrical than is usual in the genus, thin, with a small direct oval mouth, a truncated rounded base, unsymmetrical profiles, whorls neither convex nor concave, yet not flat, suddenly constricted near the tip, which is small, but not fine, and is bluntly rounded. Sculpture: none. Colour white, but with a horny translucency. Apex small, but blunt and rounded. Spire small, slightly bent, enlarging slowly and regularly; its profile-lines are slightly convex, but are not symmetrical. Whorls 11, those toward the apex are slightly convex, after the second is a rather sudden slight enlargement. Suture a little impressed and rather distinct, not much oblique. Mouth oval, pointed above, rather small. Outer lip arched, slightly patulous; its edge retreats above, advances very much below, retreating again in front, where it forms a slight patulous gutter. Inner lip has a thickened glaze with defined edge, and is very regularly arched from the upper corner to the point of the shortish, narrow-edged pillar. H. 0·14 in. B. 0·04. Penultimate whorl, height 0·029. Tip of apex, breadth 0·003. Mouth, height 0·04, breadth 0·029.

The name of this species was suggested by the hungered look of the shell. It has a larger tip with a less contracted spire, a more truncated base, and a smaller broader mouth than Eulima