

STATION 285. Mid South Pacific, October 14, 1875; lat. $32^{\circ} 36' S.$, long. $137^{\circ} 43' E.$; depth, 2375 fathoms; bottom, red clay; bottom temperature, 35° ; surface temperature, 65° . Trawled.

Tylaspis anomala, Henderson.

Valparaiso Beach, November 1875.

Petrolisthes violaceus (Guérin).

| *Petrolisthes validus* (Dana).

STATION 300. Off Juan Fernandez, December 17, 1875; lat. $33^{\circ} 42' S.$, long. $78^{\circ} 18' W.$; depth, 1375 fathoms; bottom, Globigerina ooze; bottom temperature, $31^{\circ} \cdot 5$; surface temperature, $92^{\circ} \cdot 5$. Trawled.

Parapagurus abyssorum, A. Milne-Edwards.

| *Munidopsis antonii* (A. Milne-Edwards).

Galacantha bellis, Henderson.

STATION 302. Off Patagonia, December 28, 1875; lat. $42^{\circ} 43' S.$, long. $82^{\circ} 11' W.$; depth, 1450 fathoms; bottom, Globigerina ooze; bottom temperature, $35^{\circ} \cdot 6$; surface temperature, 55° . Trawled.

Munidopsis subsquamosa, Henderson, var. *aculeata*, nov.

STATION 304. Port Otway, Patagonia, December 31, 1875; lat. $46^{\circ} 53' 15'' S.$, long. $75^{\circ} 12' 0'' W.$; depth, 45 fathoms; bottom, green sand; surface temperature, $51^{\circ} \cdot 2$. Dredged.

Munida subrugosa (White).

| *Parapagurus abyssorum*, A. Milne-Edwards.

STATION 305A. In the Messier Channel, Patagonia, January 1, 1876; lat. $47^{\circ} 48' 30'' S.$, long. $74^{\circ} 47' 0'' W.$; depth, 125 fathoms; bottom, blue mud; surface temperature, 55° . Trawled.

Munida subrugosa (White).

Messier Channel, January 1876.

Petrolisthes validus (Dana).

Gray's Harbour, Patagonia; from the stomach of a fish.

Munida subrugosa (White).