## THE VOYAGE OF H.M.S. CHALLENGER.

STATION 142.

## Ophiomusium pulchellum, Wyville Thomson, n.sp. Obtained also at Stations 87 and 122.

Ophiomastus sp. (?). Young.

Ophiactis flexuosa, n.sp. Ten specimens (young ?); obtained also at Station 171, 600 fathoms.

" plana, Lyman (?). Young; obtained at no other locality by the Challenger. Recorded from Florida.

Ophiothamnus remotus, n.sp. Obtained at no other locality.

Ophiothrix aristulata, n.sp. Obtained also at Stations 161 and 163, 38 and 120 fathoms.

Ophioscolex dentatus, n.sp. Obtained at no other locality.

Ophiomyxa vivipara, Studer. Obtained also at Stations 308, 313, and 314, 55 to 175 fathoms. Recorded from the Cape, Kerguelen, and Magellan Strait.

ECHINOIDEA (Agassiz, Zool. pt. 9).

Spatangus raschi, Lovén. Obtained also at Station 141.

Echinocardium flavescens (Müller). Obtained at no other locality by the Challenger. Recorded from East Atlantic.

Brissopsis lyrifera (Forbes). Obtained also at Simon's Bay, Cape, and Station 141. Schizaster fragilis (Düben and Koren). Obtained also at Station 49.

HOLOTHURIOIDEA (Théel, Zool. pt. 39).

Cucumaria capensis, n.sp. Two specimens ; obtained also at Station 141.

ANNELIDA (M'Intosh, Zool, pt. 34).

Dasychone capensis, n.sp. Obtained at no other locality.

Euphione elisabethæ, n.g., n.sp. Obtained at no other locality. Only species of the genus.

Protula capensis, n.sp. One specimen ; obtained at no other locality.

OSTRACODA (Brady, Zool. pt. 3).

Cythere cytheropteroides, n.sp. A few specimens; obtained at no other locality. ,, lepralioides, n.sp. Obtained also at Simon's Bay, Cape.

Polycope orbicularis, Sars (?). Obtained also at Stations 149, 185, and Vigo Bay, 11 to 150 fathoms. Recorded from Arctic and North Atlantic. Fossil—Post-Tertiary of Scotland.

AMPHIPODA (Stebbing, Zool. pt. 67).

Ampelisca fusca, n.sp. Three specimens; obtained at no other locality. Gammaropsis afra, n.sp. One specimen; obtained at no other locality.