

Læmatophilus purus, n.sp. One specimen ; obtained at no other locality.

Leucothoë miersi, n.sp. One specimen ; obtained at no other locality.

Mæra bruzelii, n.sp. One specimen ; obtained at no other locality.

„ *rubromaculata*, Stimpson. One specimen ; obtained also at Port Jackson,
30 to 120 fathoms. Recorded from Australia and Tasmania.

Stenothoë adhærens, n.sp. Two specimens ; obtained at no other locality.

SCHIZOPODA (Sars, Zool. pt. 37).

Lophogaster typicus, Sars. Obtained also at Station 141.

MACRURA (Spence Bate, Zool. pt. 52).

Chlorotocus incertus, n.sp. One specimen ; obtained at no other locality.

Merhippolyte agulhasensis, n.g., n.sp. Five specimens ; obtained at no other
locality.

Pandalus modestus, n.sp. Three specimens ; obtained at no other locality.

ANOMURA (Henderson, Zool. pt. 69).

Dromidia bicornis, Studer. Four specimens ; obtained at no other locality by
the Challenger. Recorded from south of the Cape
("Gazelle").

Eudromia frontalis, n.g., n.sp. Two specimens ; obtained at no other locality.
Only species of the genus.

Parapagurus dimorphus (Studer). Numerous specimens ; obtained also at
Stations 135, 145, and 311.

BRACHYURA (Miers, Zool. pt. 49).

Lispognathus thomsoni (Norman). Five specimens ; obtained also at Station 164B,
410 fathoms. Recorded from North Atlantic and
Mediterranean.

Litocheira kingsleyi, n.sp. Many specimens ; obtained at no other locality.

Mursia cristimana, de Haan. Three specimens ; obtained also at the Cape.

Ebalia tuberculosa (Milne-Edwards). Three specimens ; obtained also at
Stations 162, 163, 167, and Port Jackson, 30 to
150 fathoms. Recorded from South Africa.

Pilumnoplax heterochir (Studer). Several specimens ; obtained also at Station 135.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

Næra capensis, n.sp. Obtained at no other locality.

Saxicava arctica, Linné. For distribution see Station 75.