

STATIONS 144A  
TO 145A.

- Bicellaria pectogemma*, Goldstein. (150 to 310 fathoms); obtained also at Stations 150 and 151, 50 and 75 fathoms.
- Bugula sinuosa*, n.sp. One specimen (80 to 150 fathoms); obtained at no other locality.
- Farciminaria hexagona*, n.sp. (140 to 310 fathoms); obtained also at Stations 195 and 196, 1425 and 825 fathoms.
- Carbasea ovoidea*, Busk. (50 to 150 fathoms); obtained also at Stations 149, 303, 312, and 315, 5 to 1325 fathoms. Recorded from Magellan Strait, Patagonia, and Kerguelen.
- Membranipora galeata*, Busk, var. *furcata*, nov. (50 to 75 fathoms); for distribution see Station 75. [Waters calls it *Membranipora cervicornis*, Busk].
- Vincularia gothica*, d'Orbigny. (80 to 150 fathoms); obtained at no other locality by the Challenger. Recorded from Marion Island. [Waters calls it *Thalamoporella steganoporoides* (Goldstein)].
- Electra cylindracea*, n.sp. (80 to 250 fathoms); obtained at no other locality.
- Salicornaria clavata*, n.sp. (Depth not given); obtained also at Stations 149, 151, 162, 163, and 304, 28 to 75 fathoms. [Waters calls it *Cellaria australis*, MacGillivray].
- „ *malvinensis*, Busk. (50 to 75 fathoms); obtained also at Stations 149, 176, 304, 315, and Falkland Islands, 5 to 1450 fathoms. Recorded from South Patagonia and Falkland Islands. Fossil—Mount Gambier.
- Cribrilina philomela*, n.sp. (50 to 75 fathoms).
- „ „ var. *adnata*, nov. (50 to 75 fathoms); obtained also at Station 151, 75 fathoms. Recorded from Curtis Island (?).
- „ *monoceros* (Busk). (Depth not given); obtained also at Stations 163, 253, 303, 313, 315, and 320, 12 to 3125 fathoms.
- Flustramorpha marginata* (Krauss). (50 to 75 fathoms); obtained also at Station 142.
- Smittia marionensis*, Busk. (80 to 150 fathoms); obtained also at Station 149, 28 fathoms. Recorded from Marion Island.
- „ *jacobensis*, n.sp. (50 to 75 fathoms); obtained also at Cape Verdes.
- Mucronella rostrigera*, n.sp. (80 to 150 fathoms); obtained at no other locality.
- „ *tricuspis*, Hincks. (80 to 150 fathoms); obtained also at Station 315 and Simon's Bay, Cape.
- „ *ventricosa*, var. *multispinata*, Busk. (80 to 150 fathoms); obtained also at Station 148, 210 fathoms.