

KERGUELEN.

- Grammaria stentor*, n.sp. (28 to 60 fathoms); obtained at no other locality.
Sertularia secunda, n.sp. (20 fathoms); obtained at no other locality.
 „ *echinocarpa*, n.sp. (28 to 60 fathoms); obtained at no other locality.
 „ *articulata*, n.sp. (28 to 60 fathoms); obtained at no other locality.

CRINOIDEA (Carpenter, Zool. pt. 60).

- Promachocrinus kerguelensis*, n.g., n.sp. Seven specimens (10 to 127 fathoms);
 obtained also at Station 151, 75 fathoms.

ASTEROIDEA (Sladen, Zool. pt. 51).

- Leptoptychaster kerguelensis*, Smith. (10 to 100 fathoms); obtained also at
 Station 145.
Bathybiaster loripes, n.sp., var. *obesa*, nov. (127 fathoms); the species obtained
 also at Stations 151 and 311, 75 and 245 fathoms.
Gnathaster meridionalis, Smith. (28 to 127 fathoms); obtained also at
 Stations 145, 150, and 151.
 „ *elongatus*, n.g., n.sp. (127 fathoms); obtained also at Stations 145,
 150, and 151.
Porania glaber, n.sp. (30 to 127 fathoms); obtained at no other locality.
Pteraster affinis, Smith. (28 fathoms); obtained at no other locality by the
 Challenger. Recorded from Kerguelen.
Retaster peregrinator, n.sp. (127 fathoms); obtained at no other locality.
Cribrella simplex, n.sp., var. *granulosa*, nov. (10 to 50 fathoms); the species
 obtained also at Stations 135, 145, and 148.
Perknaster fuscus, n.g., n.sp. (25 fathoms); obtained also at Station 151,
 75 fathoms.
 „ *densus*, n.g., n.sp. (127 fathoms); obtained at no other locality.
Echinaster spinulifer, Smith. (28 to 127 fathoms); obtained at no other locality
 by the Challenger. Recorded from Kerguelen.
Pedicellaster scaber, Smith. (20 to 25 fathoms); obtained at no other locality by
 the Challenger. Recorded from Kerguelen.
Asterias meridionalis, Perrier. (10 to 127 fathoms); obtained also at Station 145.
 „ *perrieri*, Smith. (25 to 110 fathoms); obtained at no other locality by
 the Challenger. Recorded from Kerguelen.
Labidiaster annulatus, n.sp. (127 fathoms); obtained also at Stations 150, 151,
 and 191, 75 to 800 fathoms.

OPHIUROIDEA (Lyman, Zool. pt. 14).

- Ophioglypha hexactis*, Smith. (20 to 75 fathoms); obtained also at Station 145.