

KERGUELEN.

- Pleurotoma (Spirotropis) studeriana*, Martens. (25 to 30 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- „ (*Thesbia*) *translucida*, n.sp. (25 and 28 fathoms); obtained also at Station 145.
- „ („) *corpulenta*, n.sp. (28 fathoms); obtained at no other locality.
- „ („) *platanodes*, n.sp. (28 fathoms); obtained at no other locality.
- „ sp. (?). (28 fathoms).
- Struthiolaria mirabilis*, Smith. (20 to 60 fathoms); obtained also at Station 151, 75 fathoms. Recorded from Kerguelen.
- Natica grisea*, Martens. (25 to 95 fathoms); obtained at no other locality by the Challenger.
- „ *fertilis*, n.sp. (60 fathoms); obtained also at Stations 145 and 150.
- „ (*Lunaticia*) *prasina*, n.sp. (28 and 60 fathoms); obtained at no other locality.
- Natica (Amauropsis) persculpta*, Martens. (20 and 28 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- „ („) *suturalis*, n.sp. (60 fathoms); obtained at no other locality.
- Turritella austrina*, n.sp. (28 fathoms); obtained also at Station 145.
- „ *incolor*, Smith, n.sp. (28 fathoms) [see *Proc. Zool. Soc. Lond.*, 1891, p. 437].
- Alaba (Diala)* sp. (?). (127 fathoms).
- Litorina setosa*, Smith. (60 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- Rissoa (Setia) principis*, n.sp. (Shore); obtained also at Station 145.
- „ („) *australis*, n.sp. (Shore); obtained at no other locality.
- „ („) *sinapi*, n.sp. (Shore); obtained at no other locality.
- Hydrobia caliginosa* (Gould). (Shore); obtained at no other locality by the Challenger. Recorded from Tierra del Fuego and Kerguelen.
- Eatoniella caliginosa* (Smith). (Shore); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- „ *subrufescens* (Smith). (25 fathoms); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- Skenea subcanaliculata*, Smith. (Shore); obtained at no other locality by the Challenger. Recorded from Kerguelen.
- Actæon (Actæonina) edentulus*, n.sp. One injured specimen (60 fathoms); obtained at no other locality.