

STATION 153.

Willemoes-Suhm writes : "The dredge brought up a long Sponge-like Alcyonarian, on which was an Aphroditacean Annelid. The Polyzoan had small Cirripedia on it. Among the Crustacea was a whitish, blind and very spinous, *Idothea*-like Isopod, and also a small *Mysis*, the eyes of which were Petalophthalmid, belonging to the same genus as the one found near Kerguelen and the Crozets."

ORGANISMS FROM
THE DEPOSIT.

FORAMINIFERA (Brady, Zool. pt. 22).—The following species of Foraminifera were observed in the deposit from this Station (see also Murray and Renard, Deep-Sea Deposits Chall. Exp.) ; the two pelagic species, which make up about 57 per cent. of the carbonate of lime present in the deposit, are marked thus × :—

<i>Astrorhiza angulosa</i> , Brady (?) .	
" <i>granulosa</i> , Brady (?) .	
<i>Pelosina cylindrica</i> , Brady .	
<i>Psammosphæra fusca</i> , Schulze .	
<i>Saccammina sphaerica</i> , Sars .	
<i>Hyperammina vagans</i> , Brady .	
<i>Marsipella cylindrica</i> , Brady .	
<i>Rhabdammina abyssorum</i> , Sars .	
<i>Reophax difflugiformis</i> , Brady .	
" <i>fusiformis</i> (Williamson) .	
" <i>nodulosa</i> , Brady .	
" <i>pilulifera</i> , Brady (?) .	
" <i>scorpiurus</i> , Montfort .	
<i>Haplophragmium agglutinans</i> (d'Orbigny) .	
" <i>globigeriniforme</i> (Parker and Jones) .	
" <i>latidorsatum</i> (Bornemann) .	
" <i>nanum</i> , Brady .	
" <i>rotulatum</i> , Brady .	
" <i>turbinatum</i> , Brady .	
<i>Placopsisina cenomana</i> (d'Orbigny) .	

<i>Trochammina pauciloculata</i> , Brady .	
" <i>trullissata</i> , Brady .	
<i>Webbina clavata</i> , Jones and Parker .	
<i>Cyclammina orbicularis</i> , Brady .	
" <i>pusilla</i> , Brady .	
<i>Clavulina communis</i> , d'Orbigny .	
<i>Cassidulina crassa</i> , d'Orbigny .	
" <i>levigata</i> , d'Orbigny .	
<i>Lagenia levigata</i> (Reuss) .	
" <i>levi</i> (Montagu) .	
<i>Cristellaria</i> sp. (?) .	
<i>Uvigerina angulosa</i> , Williamson .	
× <i>Globigerina dutertrei</i> , d'Orbigny .	
× <i>Orbulina universa</i> , d'Orbigny .	
<i>Pullenia quinqueloba</i> , Reuss .	
<i>Sphaeroidina bulloides</i> , d'Orbigny .	
<i>Truncatulina lobatula</i> (Walker and Jacob) .	
" <i>pygmaea</i> , Hantken .	
<i>Pulvinulina exigua</i> , Brady .	
<i>Rotalia soldanii</i> , d'Orbigny .	

ORGANISMS FROM
SURFACE-NETS.

Surface Organisms.—The following species are recorded from the surface at this Station :—

COPEPODA (Brady, Zool. pt. 23).

- Rhincalanus gigas*, n.sp.
- Pleuromma abdominale*, Claus.
- Saphirinella stylifera* (Lubbock).

SCHIZOPODA (Sars, Zool. pt. 37).

- Euphausia antarctica*, n.sp.
- Thysanoëssa macrura*, n.sp.

PTEROPODA (Pelseneer, Zool. pt. 65).

- Limacina antarctica*, Woodward.

TUNICATA (Herdman, Zool. pt. 76).

- Appendicularia* sp. (?).

In addition, the following are recorded in the note-books :—*Globigerina*, Radiolaria,