

OSTRACODA (Brady, Zool. pt. 3).

STATION 157.

Macrocypris similis, n.sp. Obtained also at Stations 120, 305, and 344.

Bairdia bosquetiana, Brady (?).

Cythere dasyderma, n.sp. For distribution see Station 5.

„ *dictyon*, n.sp. For distribution see Station 24.

Kriethe producta, n.sp. For distribution see Station 70.

Cytheropteron mucronalatum, n.sp. Obtained also at Stations 70, 224, 246, 296, 300, and 302.

CIRRIPEDIA.

Scalpellum improvisum, n.sp., MS.

ISOPODA (Beddard, Zool. pt. 48).

Eurycope spinosa, n.sp. One fragmentary specimen ; obtained at no other locality.

SCHIZOPODA (Sars, Zool. pt. 37).

Gnathophausia gigas, Willemoes-Suhm, n.g., n.sp. Moulted skin ; obtained also at Station 69.

Boreomysis scyphops, Sars. Obtained also at Stations 147 and 158.

MACRURA (Spence Bate, Zool. pt. 52).

Hymenodora mollicutis, n.sp. Two specimens ; obtained also at Stations 87, 104, 133, 156, and 318.

PYCNOGONIDA (Hoek, Zool. pt. 10).

Phoxichilidium pilosum, n.sp. One or two specimens ; obtained also at Station 147.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

Næra meridionalis, n.sp. One specimen ; obtained at no other locality.

Lyonsiella papyracea, n.sp. One specimen ; obtained at no other locality.

Silenia sarsii, n.g., n.sp. One specimen ; obtained also at Station 325, 2650 fathoms.
Only species of the genus.

Kellia (?) sp. Two valves with damaged apices, making it impossible to determine with certainty their generic position.

Leda, n.sp. Probably a young shell.

Lima (*Limatula*), n.sp. One valve only with the umbo broken away ; hardly sufficient to describe.

„ (?). Two very minute shells (mere fry), beyond identification either generically or specifically.