

PORT JACKSON.

- Odostomia (Turbonilla) scalpidens*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- „ sp. (?). (2 to 10 fathoms).
- Mathilda (Cingulina) spina* (Crosse and Fischer). (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.
- Eulima dissimilis*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- Cerithium (Lampania) australe*, Quoy and Gaimard. (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Australia, Tasmania, and China.
- Bittium granarium* (Kiener). (2 to 35 fathoms); obtained at no other locality by the Challenger. Recorded from Timor and Australia.
- „ *cylindricum*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- „ *furvum*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- Alaba (Diala) phasianella*, Angas. (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.
- „ („), n.sp. (2 to 10 fathoms).
- Rissoa (Scrobs) scrobiculator*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- „ („) *badia*, n.sp. (2 to 10 fathoms); obtained at no other locality.
- „ , two other species undetermined. (2 to 10 fathoms).
- Rissoina cincta*, Angas. (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.
- Actæon (Buccinulus) affinis* (Adams). (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from China and Japan to Australia.
- „ („) *niveus*, Angas. (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.
- Aplustrum scabrum* (Chemnitz). (2 to 18 fathoms); obtained at no other locality by the Challenger. Recorded from Sandwich Islands to Australia and Mauritius.
- Ringicula doliaris*, Gould. (2 to 15 fathoms); obtained at no other locality by the Challenger. Recorded from Japan.
- Bulla ampulla*, Linné. (2 to 10 fathoms); obtained at no other locality by the Challenger. Recorded from Philippines, Australia, and Indian Ocean. Fossil—shores of the Red Sea.
- „ *australis*, Quoy and Gaimard. (2 to 10 fathoms); obtained also at Fiji, 12 fathoms. Recorded from Australia to Galapagos.