API. OPHIUROIDEA (Lyman, Zool. pt. 14).

Ophioglypha undata, n.sp. Obtained at no other locality. [Recorded in error from Station 176, 1450 fathoms].

Ophiothrix purpurea, Martens (?). (63 fathoms); obtained also at Banda.

HOLOTHURIOIDEA (Théel, Zool. pt. 39).

Synapta beselii, Jæger. A few specimens (130 fathoms); obtained also at Amboina, Philippines, and Tahiti. Recorded from Indian and Pacific Oceans.

Holothuria atra, Jæger. One specimen (130 fathoms); obtained also at Fiji and Amboina.

MACRURA (Spence Bate, Zool. pt. 52).

Penæus gracilis, Dana. (Surface?); obtained also at Port Jackson.

Hemipenæus tomentosus, n.g., n.sp. One specimen (130 fathoms); obtained also at Station 200, 250 fathoms.

Sergestes ancylops, Krøyer. One specimen (surface?); obtained also in North Pacific. Recorded from Greenland.

Lucifer reynaudii, M.-Edwards. (Surface?); a widely-distributed species.

Nematocarcinus productus, n.sp. One specimen; obtained also at Stations 195, 205, and 237, 1050 to 1875 fathoms. [Recorded in error from Station 176, 1450 fathoms].

Oodeopus armatus, n.g., n.sp. (Surface?); obtained also at Cape York.

" duplex, n.g., n.sp. (Surface?); obtained also at Fiji and Cape York.

Anomura (Henderson, Zool. pt. 69).

Cænobita rugosa, M.-Edwards. (Shore); obtained also at Fiji, Arrou, Admiralty, and Tahiti Islands.

, perlata, M.-Edwards. One specimen (shore); obtained also at Fiji.

Brachyura (Miers, Zool. pt. 49).

Epigrapsus politus, Heller. One specimen; obtained at no other locality by the Challenger. Recorded from Nicobars and Polynesian Islands.

Sesarma (Holometopus) aubryi, M.-Edwards. Many specimens (shallow water); obtained also at Arrou and Admiralty Islands.

GASTEROPODA (Watson, Zool. pt. 42).

Natica (Neverita) albumen (Linné). (Shore); obtained at no other locality by the Challenger. Recorded from Philippines.