CAPE YORK.

- Salicornaria gracilis, Busk. (Station 186, 8 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.
- Retepora hirsuta, n.sp. (Station 186, 8 fathoms); obtained at no other locality.

 [Waters calls it Retepora monilifera, form umbonata,
 MacGillivray].
- ", tubulata, n.sp. (Station 186, 8 fathoms); obtained at no other locality.

 **Lepralia celleporoides*, n.sp. (Station 186, 8 fathoms); obtained at no other locality. [Waters calls it Lepralia mucronata (Smitt)].
- " dorsiporosa, n.sp. (Station 186, 8 fathoms); obtained at no other locality. Escharoides occlusa, n.sp. (Station 186, 8 fathoms); obtained also at Station 148 and Philippines. [Waters calls it Lepralia occlusa (Busk)].
- Haswellia australiensis (Haswell). (Station 186, 8 fathoms); obtained also at Station 190, 49 fathoms. [Waters calls it Porina coronata, var. labrosa, Reuss].
- Adeonella pectinata, n.sp. (Station 186, 8 fathoms); obtained at no other locality. Cellepora discoidea, n.sp. (Station 186, 8 fathoms); obtained at no other locality.
- ", tridenticulata, n.sp. (Station 186, 8 fathoms); obtained at no other locality. Cupularia guincensis, Busk. One dead specimen (Station 186, 8 fathoms);

obtained at no other locality by the Challenger. Recorded from New Guinea and Philippines.

Crisia denticulata (Lamarck). (Station 186, 8 fathoms); obtained also at St. Paul's Rocks and Tristan da Cunha.

Idmonea eboracensis, n.sp. One specimen (Station 186, 8 fathoms); obtained at no other locality.

Amathia connexa, n.sp. (Station 186, 8 fathoms); obtained at no other locality.

TUNICATA (Herdman, Zool. pts. 17 and 38).

- Cynthia formosa, n.sp. One specimen (Torres Strait, 3 to 11 fathoms); obtained at no other locality.
 - " arenosa, n.sp. Several specimens (Station 186, 8 fathoms); obtained at no other locality.
- Colella pulchra, n.g., n.sp. About a dozen specimens (Station 187, 6 fathoms); obtained at no other locality.
- Polyclinum depressum, n.sp. One specimen (Torres Strait, 3 to 11 fathoms); obtained at no other locality.
- Psammaplidium ovatum, n.g., n.sp. Two specimens (Torres Strait, 3 to 11 fathoms); obtained at no other locality.
 - ", pyriforme, n.g., n.sp. Half a dozen specimens (Station 186, 8 fathoms); obtained at no other locality.