

ANNELIDA (M'Intosh, Zool. pt. 34).

Scalisetosus ceramensis, n.g., n.sp. One specimen (360 fathoms); obtained at no other locality. Only species of the genus.

AMPHIPODA (Stebbing, Zool. pt. 67).

Lanceola sp. (?). One specimen (360 fathoms).

MACRURA (Spence Bate, Zool. pt. 52).

Cheiroplatea cenobita, n.g., n.sp. One specimen (200 fathoms); obtained at no other locality. Only species of the genus.

Eiconaxius acutifrons, n.g., n.sp. One specimen (360 fathoms); obtained at no other locality.

Hemipenæus semidentatus, n.g., n.sp. One specimen (200 fathoms); obtained also at Stations 170 and 171.

Glyphocrangon regalis, n.sp. One specimen (200 fathoms); obtained also at Stations 171 and 173.

Heterocarpus dorsalis, n.sp. Two specimens (200 fathoms); obtained at no other locality.

„ *lævigatus*, n.sp. One specimen (200 fathoms); obtained at no other locality.

Acanthephyra angusta, n.sp. Two specimens (200 fathoms); obtained at no other locality.

„ *sica*, n.sp. Four specimens (200 fathoms); for distribution see Station 40.

„ *armata*, M.-Edwards. One specimen (200 fathoms); obtained at no other locality by the Challenger. Recorded from West Indies.

„ *brachytelsonis*, n.sp. Two specimens (200 fathoms); obtained also at Stations 170, 171, 214, 232, 236, and 318.

Nematocarcinus undulatipes, n.sp. One specimen (200 fathoms); obtained also at Stations 171, 200, and 214.

ANOMURA (Henderson, Zool. pt. 69).

Galathea inconspicua, n.sp. One specimen (360 fathoms); obtained at no other locality.

Uroptychus australis, n.sp. Three specimens (360 fathoms); obtained also at Stations 164B, 170, and 171.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

Arca (Barbatia) corpulenta, n.sp. (200 fathoms); obtained also at Stations 184, 198, 216A, 271, and 300.