

CORALS (Mosley, Zool. pt. 7).

Cyathohelia axillaris, M.-Edwards and Haime. One specimen; obtained at no other locality by the Challenger.

Bathyactis symmetrica (Pourtales). For distribution see Station 24.

CIRRIPEDIA (Hoek, Zool. pt. 25).

Scalpellum hirsutum, n.sp. One specimen; obtained at no other locality.

AMPHIPODA (Stebbing, Zool. pt. 67).

Cystisoma spinosum (Fabricius) (?). One specimen; for distribution see Station V.

MACRURA (Spence Bate, Zool. pt. 52).

Haliporus neptunus, n.g., n.sp. Three specimens; obtained also at Station 191.

Oplophorus typus, M.-Edwards. One specimen; obtained also at Station 220, 1100 fathoms. Recorded from New Guinea.

ANOMURA (Henderson, Zool. pt. 69).

Homologenus sp. (?), juv. One specimen.

Munidopsis pilosa, n.sp. One specimen; obtained at no other locality.

BRACHYURA (Miers, Zool. pt. 49).

Oncinopus aranea, De Haan. One specimen; obtained also at Port Jackson (?) and Arafura Sea.

PYCNOGONIDA (Hoek, Zool. pt. 10).

Nymphon perlucidum, n.sp. One specimen; obtained at no other locality.

POLYZOA (Busk, Zool. pt. 30).

Brettia australis, n.sp. One specimen (on *Bicellaria bella*); obtained at no other locality.

Bicellaria bella, n.sp. Numerous specimens; obtained at no other locality.

„ *moluccensis*, n.sp. Obtained at no other locality.

„ *macilenta*, n.sp. Numerous specimens; obtained at no other locality.

Farciminaria hexagona, n.sp. Obtained also at Stations 145 and 195.

Flustra biseriata, n.sp. Obtained also at Station 299, 2160 fathoms.

Carbasea dissimilis, Busk. Obtained also at Stations 161, 162, and 163A.

Bifaxaria papillata, n.g., n.sp. Obtained at no other locality.

Siphonicytara serrulata, n.g., n.sp. One specimen; obtained at no other locality.

Only species of the genus.