

ANTIPATHARIA (Brook, Zool. pt. 80).

STATION 218.

Schizopathes affinis, n.g., n.sp. One specimen ; obtained also at Station 195.

Bathypathes patula, n.g., n.sp., var. *plenispina*, nov. One specimen ; the species obtained also at Stations 195, 244, and 246.

CORALS (Moseley, Zool. pt. 7).

Flabellum conuis, n.sp. One specimen ; obtained at no other locality.

Bathyactis symmetrica (Pourtalès). Several specimens ; for distribution see Station 24.

CRINOIDEA (Carpenter, Zool. pt. 60).

Antedon alternata, n.sp. One specimen ; obtained also at Stations 169, 170, and 236.

ASTEROIDEA (Sladen, Zool. pt. 51).

Zoroaster tenuis, n.sp. Obtained at no other locality.

Hymenaster pullatus, n.sp. Obtained at no other locality.

Benthaster penicillatus, n.g., n.sp. Obtained at no other locality.

OPHIUROIDEA (Lyman, Zool. pt. 14).

Ophioglypha æqualis, n.sp. Obtained at no other locality.

Ophiomastus tegulitius, n.g., n.sp. Obtained also at Stations 164, 165, and 166.

Ophiotrochus panniculus, n.g., n.sp. Several specimens ; obtained at no other locality. Only species of the genus.

Ophiacantha cosmica, n.sp. For distribution see Station 122.

ECHINOIDEA (Agassiz, Zool. pt. 9).

Podocidaris prionigera, n.sp. Obtained also at Station 205.

Prionechinus sagittiger, n.g., n.sp. Obtained also at Stations 164 and 207. Only species of the genus.

OSTRACODA (Brady, Zool. pt. 3).

Bairdia exaltata, n.sp. Obtained at no other locality.

Cythere dictyon, n.sp. Widely distributed (see Station 24).

„ *dasyderma*, n.sp. Widely distributed (see Station 5).

CIRRIPEDIA (Hoek, Zool. pt. 25).

Scalpellum distinctum, n.sp. One specimen ; obtained at no other locality.

ISOPODA (Beddard, Zool. pt. 48).

Eurycope pellucida, n.sp. One specimen ; obtained at no other locality.