

<i>Haplophragmium latidorsatum</i> (Bornemann).	× <i>Globigerina bulloides</i> , d'Orbigny.
" <i>nanum</i> , Brady.	× "    "    var. <i>triloba</i> , Reuss.
" <i>rotulatum</i> , Brady.	× " <i>conglobata</i> , Brady.
" <i>turbinatum</i> , Brady.	× " <i>dubia</i> , Egger.
<i>Thurammia albicans</i> , Brady.	× " <i>inflata</i> , d'Orbigny.
" <i>papillata</i> , Brady.	× <i>Orbulina universa</i> , d'Orbigny.
<i>Hormosira globulifera</i> , Brady.	<i>Pullenia quinqueloba</i> , Reuss.
" <i>normani</i> , Brady.	" <i>sphæroides</i> (d'Orbigny).
" <i>ovicula</i> , Brady.	<i>Sphæroidina bulloides</i> , d'Orbigny.
<i>Cyclammia pusilla</i> , Brady.	× " <i>dehiscens</i> , Parker and Jones.
<i>Textularia agglutinans</i> , d'Orbigny.	<i>Discorbina vilardeboana</i> (d'Orbigny).
" <i>aspera</i> , Brady.	<i>Truncatulina lobatula</i> (Walker and Jacob).
<i>Verneuilina propinqua</i> , Brady.	" <i>pygmæa</i> , Hantken.
" <i>pygmæa</i> (Egger).	" <i>tenera</i> , Brady.
<i>Gaudryina baccata</i> , Schwager.	" <i>variabilis</i> , d'Orbigny.
" <i>pupoides</i> , d'Orbigny.	" <i>wuellerstorfi</i> (Schwager).
<i>Clavulina communis</i> , d'Orbigny.	<i>Anomalina ammonoides</i> (Reuss).
<i>Virgulina schreibersiana</i> , Czjzek.	" <i>grosserugosa</i> (Gümbel).
" <i>subdepressa</i> , Brady.	" <i>polymorpha</i> , Costa.
<i>Bolivina punctata</i> , d'Orbigny.	× <i>Pulvinulina canariensis</i> (d'Orbigny).
<i>Cassidulina bradyi</i> , Norman.	× " <i>crassa</i> (d'Orbigny).
" <i>subglobosa</i> , Brady.	" <i>exigua</i> , Brady.
"    sp. (?).	" <i>favus</i> , Brady.
<i>Ehrenbergina serrata</i> , Reuss.	" <i>hauerii</i> (d'Orbigny).
<i>Lagena apiculata</i> , Reuss.	× " <i>menardii</i> (d'Orbigny).
" <i>quadricostulata</i> , Reuss.	× " <i>micheliniana</i> (d'Orbigny).
<i>Nodosaria communis</i> , d'Orbigny.	× " <i>patagonica</i> (d'Orbigny).
"    ( <i>Glandulina</i> ) <i>lævigata</i> , d'Orbigny.	× " <i>tumida</i> , Brady.
<i>Cristellaria crepidula</i> (Fichtel and Moll).	<i>Rotalia soldanii</i> , d'Orbigny.
"    sp. (?).	<i>Nonionina pompilioides</i> (Fichtel and Moll).
<i>Polymorphina angusta</i> , Egger.	" <i>umbilicatulula</i> (Montagu).
<i>Uvigerina brunnensis</i> , Karrer (?).	<i>Polystomella crispa</i> (Linné).
"    sp. (?).	

Surface Organisms.—The following species are recorded from the surface at this Station :—

ORGANISMS FROM  
SURFACE-NETS.

SCHIZOPODA (Sars, Zool. pt. 37).

*Euchætomera typica*, n.g., n.sp.

FISHES (Günther, Zool. pt. 78).

*Prymnothonus* sp. (?).

In addition, the following are recorded in the note-books:—*Hastigerina* and Challengeridæ from tow-net attached to the weights; *Pulvinulina*, Radiolaria, Medusæ, *Diphyes*, *Sagitta*, Cytherids, *Archizoëa*, Hyperids, *Phronima*, *Euphausia*, echinated Gasteropod shell and larval Gasteropods, Pteropods. Mr. Murray went out in a boat for surface collecting, but noticed only a few *Collosphæræ* floating in patches. The water was of a deep-blue tint.

Willemoes-Suhm writes: "For the past few days the Nauplius of a Cirriped has been  
(SUMMARY OF RESULTS CHALL. EXP.—1893.)