

1500 fathoms. The carbonic acid was determined in bottom water, and amounted to 55·0 milligrammes per litre. At 9.30 A.M. completed observations and made all plain sail. *Diomedea exulans*, *Diomedea melanophrys* (?), *Procellaria capensis*, mutton birds, two kinds of black petrels, and *Prion turtur* (?), were seen.

Valparaiso distant at noon, 2983 miles. Made good 77 miles. Amount of current 17 miles, direction S. 19° W.

Surface Organisms.—The following species are recorded from the surface in the vicinity of this Station :— ORGANISMS FROM SURFACE-NETS.

RADIOLARIA (Haeckel, Zool. pt. 40).

- Lampoxanthium tetractinium*, Haeckel.
- Rhaphidozoum asperum*, Haeckel.
- Cenosphaera mellifica*, Haeckel.
- Thecosphaera micropora*, Haeckel.
- Pharyngosphaera stomodaea*, Haeckel (?).
- Siphonosphaera chonophora*, Haeckel.
- Hexalocharium hystricinum*, Haeckel.
- Cubaxonium spongiosum*, Haeckel.
- Acanthosphaera micropora*, Haeckel.
- Cocconomma endosiphon*, Haeckel.
- Diplosphaera polygonalis*, Haeckel.
- Octodendron arauvaria*, Haeckel.
- Cyphassis palliata*, Haeckel.
- Sethodiscus microporus*, Haeckel.
- Heliodrymus ramosus*, Haeckel.
- Archidiscus trithalamus*, Haeckel.
- Myelastrum ciliatum*, Haeckel.
- Pentalastrum cometa*, Haeckel.
- Spongaster cruciatus*, Haeckel.
- Larcidium dodecanthum*, Haeckel.
- Dizonium ellipticum*, Haeckel.
- Octopyle octostyle*, Haeckel.

SIPHONOPHORÆ (Haeckel, Zool. pt. 77).

- Discalia medusina*, n.sp.
- Athoria bractealis*, n.sp.
- Strobalia conifera*, n.sp.
- Cystalia monogastrica*, n.sp.

COPEPODA (Brady, Zool. pt. 23).

- Calanus valgus*, n.sp.
- „ *propinquus*, n.sp.
- „ *tonsus*, n.sp.
- Hemicalanus longicornis*, Claus.

- Tholostaurus tetrabelonis*, Haeckel.
- Staurotholonium octodonium*, Haeckel.
- Tholospira spinosa*, Haeckel.
- Astrolophus stellaris*, Haeckel.
- Actinastrum legitimum*, Haeckel.
- Acanthonia concava*, Haeckel.
- Xiphacantha platyptera*, Haeckel.
- Xiphoptera icosactena*, Haeckel.
- Amphilonche lancetta*, Haeckel.
- Phractaspis condylophora*, Haeckel.
- Dorataspis macrocantha*, Haeckel.
- Tessaraspis tetragonalis*, Haeckel.
- Thoracaspis circopora*, Haeckel.
- Hexaconus serratus*, Haeckel.
- Hexacolpus trypanon*, Haeckel.
- Plagonium distriactis*, Haeckel.
- Sethoconus virgultus*, Haeckel.
- Pterocorys prismatica*, Haeckel.
- Stichopterium dictyopodium*, Haeckel.
- Aulodendron australe*, Haeckel.
- Gazellella bifurca*, Haeckel.

Pleuromma abdominal (Lubbock).

- Heterochæta spinifrons*, Claus.
- Leuckartia flavigornis*, Claus (?).
- Euchæta (?) philippii*, n.sp.
- Centropages violaceus* (Claus).
- Miracia efferrata*, Dana.
- Lubbockia squillimana*, Claus.

AMPHIPODA (Stebbing, Zool. pt. 67).

- Phorcorrhaphis zamboangæ*, n.sp.
- Eupronoë minuta*, Claus.