Anomura (Henderson, Zool. pt. 69).

STATION 335.

Parapagurus abyssorum, M.-Edwards, MS. One specimen; for distribution see Station 56.

GASTEROPODA (Watson, Zool. pt. 42).

Clathurella cala, n.sp. Obtained at no other locality.

FISHES (Günther, Zool. pt. 57).

Chlorophthalmus gracilis, n.sp. One specimen; obtained also at Stations 168 and 300.

In addition to the foregoing, the following are recorded in the Station-book:—Two specimens of *Epizoanthus* (?) on shells containing *Pagurus*, two Tubularians attached to pumice-stones, dead shells of *Dentalium*, *Corbula*, and *Cerithium* on Annelid-tubes, and two specimens of *Rostellaria* with *Pagurus* and *Epizoanthus*.

Excluding Protozoa, over 70 specimens of invertebrates and fishes were obtained at this Station, belonging to about 27 species, of which 17 are new to science, including representatives of 2 new genera; 6 of the new species and 1 new genus were not obtained elsewhere.

The following species of Pteropoda, Foraminifera, and Radiolaria were observed in the deposit from this Station (see also Murray and Renard, Deep-Sea Deposits Chall. Exp.):—

Organisms from the Deposit.

PTEROPODA (Pelseneer, Zool. pt. 65).

Limacina inflata (d'Orbigny). Clio (Styliola) subula (Quoy and Gaimard). ,, pyramidata, Linné. Cuvierina columnella (Rang).
Cavolinia trispinosa (Lesueur).
,, inflexa (Lesueur).

FORAMINIFERA (Brady, Zool. pt. 22).—The pelagic species, which make up about 80 per cent. of the carbonate of lime present in the deposit, are marked thus x.

Biloculina depressa, d'Orbigny.

ringens (Lamarck).

Spiroloculina acutimargo, Brady.

tenuis (Czjzek).

Miliolina seminulum (Linné).

" tricarinata (d'Orbigny).

venusta (Karrer).

Reophax difflugiformis, Brady.

Haplophragmium canariense (d'Orbigny).

globigeriniforme (Parker and

Textularia aspera, Brady.

" sagittula, Defrance.

Gaudryina pupoides, d'Orbigny.

,, ,, var. chilostoma, Reuss.

Bulimina elongata, d'Orbigny.

rostrata, Brady.

Virgulina schreibersiana, Czjzek.

Bolivina limbata, Brady.

- , punctata, d'Orbigny.
- " reticulata, Hantken.

Lagena acuta (Reuss).

- " exsculpta, Brady.
- " formosa, Schwager.
- ,, lævigata (Reuss).
- " lævis (Montagu).