

STATION 348.

<i>Truncatulina ungeriana</i> (d'Orbigny).	× <i>Pulvinulina menardii</i> (d'Orbigny).
„ <i>wuellerstorfi</i> (Schwager).	× „ <i>meliniana</i> (d'Orbigny).
<i>Anomalina</i> sp. (?).	× „ <i>tumida</i> , Brady.
× <i>Pulvinulina crassa</i> (d'Orbigny).	<i>Rotalia soldanii</i> , d'Orbigny.
„ <i>exigua</i> , Brady.	<i>Nonionina umbilicatula</i> (Montagu).

RADIOLARIA (Haeckel, Zool. pt. 40).

<i>Siphonosphæra patinaria</i> , Haeckel.	<i>Sethamphora serrata</i> , Haeckel.
<i>Hexalonche favosa</i> , Haeckel.	<i>Sethopyramis cyclomma</i> , Haeckel.
<i>Acanthosphæra maxima</i> , Haeckel.	<i>Acanthocorys enneapodia</i> , Haeckel.
<i>Haliomma grande</i> , Haeckel.	<i>Carpocanium læve</i> , Ehrenberg.
<i>Actinomma dodecomma</i> , Haeckel.	<i>Lophophæna galea</i> , Ehrenberg.
<i>Spongatractus pachystylus</i> , Haeckel.	<i>Dictyoceras melitta</i> , Haeckel.
<i>Spongoliva persicina</i> , Haeckel.	<i>Podocyrtes princeps</i> , Ehrenberg.
<i>Cannartus biscottus</i> , Haeckel.	<i>Lithochytris pyriformis</i> , Haeckel.
<i>Panartus tetracolum</i> , Haeckel.	<i>Clathrocyclas basilea</i> , Haeckel.
<i>Sethostylus spicatus</i> , Haeckel.	<i>Tricolocampe amphizona</i> , Haeckel.
<i>Stylocyclia dimidiata</i> , Ehrenberg.	„ <i>cingulata</i> , Haeckel.
<i>Astrocyelia heterocyelia</i> , Haeckel.	<i>Theocorys tuberculata</i> , Haeckel.
<i>Astractura ordinata</i> , Haeckel.	<i>Lithostrobilus cuspidatus</i> , Haeckel.
<i>Stauralastrum staurolonche</i> , Haeckel.	<i>Artostrobilus biserialis</i> , Haeckel.
<i>Tetrapyle cardiopyle</i> , Haeckel.	<i>Lithocampe eupora</i> , Haeckel.
<i>Spirema subglobosum</i> , Haeckel.	<i>Distephanus octomarius</i> , Haeckel.
<i>Phractaspis constricta</i> , Haeckel.	<i>Orosceia darwini</i> , Haeckel.
<i>Triplecta triangulum</i> , Haeckel.	<i>Aulastrum monoceros</i> , Haeckel.
<i>Semantidium sezangulum</i> , Haeckel.	<i>Cannosphæra atlantica</i> , Haeckel.
<i>Clathrocircus octoporus</i> , Haeckel.	<i>Challengeria sloggettii</i> , Murray.
<i>Cortiniscus tripylaris</i> , Haeckel.	„ <i>wildi</i> , Haeckel.
<i>Coronidium acacia</i> , Haeckel.	<i>Challengeron heptacanthum</i> , Haeckel.
<i>Tricyclidium semantrum</i> , Haeckel.	„ <i>buchanani</i> , Haeckel.
<i>Acrocubus tesseratis</i> , Haeckel.	„ <i>carpenterii</i> , Murray.
<i>Toxarium cordatum</i> , Haeckel.	<i>Pharyngella monoceros</i> , Haeckel.
<i>Tripopyris tessaromma</i> , Haeckel.	<i>Euphysetta staurocodon</i> , Haeckel.
<i>Triceraspis longicornis</i> , Haeckel.	<i>Castanarium lubbocki</i> , Haeckel.
<i>Dipopyris sigmopodium</i> , Haeckel.	<i>Circoporus sexfasciatus</i> , Haeckel.
<i>Tripilidium costatum</i> , Haeckel.	<i>Circogonia dodecakantha</i> , Haeckel.
<i>Tripodiscium clavatum</i> , Haeckel.	<i>Tuscarora tetrahedra</i> , Murray.
<i>Euscenium furcatum</i> , Haeckel.	<i>Concharium diatomeum</i> , Haeckel.
<i>Sethophormis astrodiscus</i> , Haeckel.	<i>Conchoceras caudatum</i> , Haeckel.

ORGANISMS FROM
SURFACE-NETS.

Surface Organisms.—The following species are recorded from the surface and deep tow-nets at this Station:—

RADIOLARIA (Haeckel, Zool. pt. 40).

<i>Actissa prototypus</i> , Haeckel.	<i>Collospæra irregularis</i> , Haeckel.
<i>Belonozoum atlanticum</i> , Haeckel.	<i>Siphonosphæra cyathina</i> , Haeckel.
<i>Collospæra polygona</i> , Haeckel.	„ <i>socialis</i> , Haeckel.
„ <i>pyriformis</i> , Haeckel (?).	<i>Elaphococcus furcatus</i> , Haeckel.