

The following species are recorded from the surface between the Cape Verdes and Station 353 (April 26 to 29) :—

APRIL 26 TO 29,
1876.

COPEPODA (Brady, Zool. pt. 23).

- Calanus valgus*, n.sp.
- Undina vulgaris*, Dana.
- Scolecithrix danæ* (Lubbock).
- Euchæta prestandreae*, Philippi.
- Candace pachydactyla*, Dana.
- Pontella acutifrons* (Dana).
- „ *strenua* (Dana).
- Saphirina ovalis*, Dana.
- „ *gemma*, Dana.
- Saphirinella stylifera* (Lubbock).

CIRRIPEDIA (Hoek, Zool. pt. 25).

- Lepas pectinata*, Spengler.

AMPHIPODA (Stebbing, Zool. pt. 67).

- Phrosina semilunata*, Risso.
- Platyscelus armatus* (Claus).
- „ *serratus*, n.n.
- Hemityphis tenuimanus*, Claus.
- Tetrathyridius forcipatus*, Claus.
- Thyropus sphæroma* (Claus).
- Eupronoë atlantica*, n.sp.
- Tryphana boecki*, n.sp.

SCHIZOPODA (Sars, Zool. pt. 37).

- Euphausia pellucida*, Dana.
- Nematoscelis microps*, n.g., n.sp.
- Stylocheiron abbreviatum*, n.g., n.sp.
- Siriella thompsoni* (M.-Edwards).

PELAGIC HEMIPTERA (White, Zool. pt. 19).

- Halobates wüllerstorfi*, Frauenfeld.

CEPHALOPODA (Hoyle, Zool. pt. 44).

- Tremoctopus quoyanus* (d'Orbigny),
Steenstrup.
- Spirula peronii*, Lamarck, (dead
shells).
- Ommastrephes* sp. (?).

TUNICATA (Herdman, Zool. pt. 76).

- Doliolum denticulatum*, Quoy and
Gaimard.
- „ *ehrenbergi*, Krohn.
- Salpa cordiformis-zonaria*, Quoy
and Gaimard—Pallas.
- „ *cylindrica*, Cuvier.
- „ *runcinata* - *fusiformis*,
Chamisso—Cuvier.

FISHES (Günther, Zool. pts. 57 and 78).

- Astronesthes niger*, Rich.
- Coryphaena hippurus*, (young).
- „ *equisetis*, (young).
- Scopelus caninianus* (C.V.).
- „ *coccoi* (Cocco).
- Scombresox saurus*, (young).
- Exocoetus obtusirostris*, Günther.
- „ *evolans*, Linné.
- „ *rondeletii*, C.V.

The tow-nets procured the following:—*Peridinium*, *Pyrocystis*, *Ethmodiscus*, *Coscinodiscus*, and other Diatoms, *Globigerina*, *Orbulina*, *Pullenia*, *Sphæroidina*, *Pulvinulina*, Acanthometræ, compound and other Radiolaria, Medusæ, *Diphyes*, *Agalmopsis*, *Velella*, and other Siphonophoræ, Echinoderm larvæ, *Sagitta* (some with *Distomum*), Annelid larvæ, Sipunculid larvæ, *Evadne*, *Copilia*, *Saphirina*, and other Copepods, Cypris stage of *Lepas*, Hyperids, Isopods, young *Euphausiæ*, *Lucifer*, *Phyllosoma*, *Sergestes* and larvæ, Zoëæ, Megalopæ, *Halobates*, larval Lamellibranchs,