

Allophylus cobbe, Blume, var.

Allophylus cobbe, Blume, var. ; Hook. f., Fl. Brit. Ind., i. p. 673.

Allophylus timorensis, sundanus, &c., Miq., Fl. Ind. Bat., i. 2, p. 575.

Schmidelia serrata, DC. ; Benth., Fl. Austr., i. p. 455.

Schmidelia cobbe, DC., Prodr., i. p. 610.

ARROU ; KI ; TIMOR LAUT.—This tree is spread all over Tropical Asia, and has also been found in Northern Australia. It is exceedingly variable, and upwards of a score of the forms have been proposed as species under the generic names of *Ornitrophe*, *Schmidelia*, *Allophylus*, &c., so that its synonymy is very copious.

Schmidelia sp.

ARROU.—This is probably one of the described species, but they are very difficult to determine from incomplete specimens. Genus spread all over the tropics, with the greatest concentration of species in America.

Cupania spp.

KI ; TIMOR LAUT.—There are indifferent specimens of three or four species of this generally dispersed genus of tropical trees and shrubs.

Atalaya sp. ?

TIMOR LAUT.—With the exception of one from Timor, all the described species of this genus are endemic in Tropical and Subtropical Australia.

Schleichera trijuga, Willd.

Schleichera trijuga, Willd. ; Hook. f., Fl. Brit. Ind., i. p. 681 ; Miq., Fl. Ind. Bat., i. 2, p. 573.

LETTI ; WETTER ; TIMOR LAUT.—A large tree spread all over Tropical Asia, and commonly planted in the lower region in the Archipelago, according to Miquel, for its juicy, fleshy fruit.

Dodonæa viscosa, Linn.

Dodonæa viscosa, Linn. ; Benth., Fl. Austr., i. p. 475 ; Hook. f., Fl. Brit. Ind., i. p. 697 ; Seem., Fl. Vit., p. 49.

Dodonæa angustifolia, Linn. f., Suppl. Pl., p. 218 ; Miq., Fl. Ind. Bat., i. 2, p. 580.

LAKOR ; LARAT ; MOA ; TIMOR LAUT.—This species grows almost everywhere in tropical and subtropical regions, and also extends into temperate countries, both north and south. It is very variable, and the extreme forms are very different, but they are connected by every possible intermediate gradation. Mr Bentham (*loc. cit.*) says:—"It includes probably the whole of the extra-Australian described species, except, perhaps, the *Dodonæa*