

the same as those from Tonga, and have not a longer bill, as has been stated by Mr Layard (Proc. Zool. Soc., 1876, p. 501).

9. *Myzomela jugularis*, Peale.

Myzomela jugularis, F. and H., Orn. Central-Polyn., p. 54, taf. vii. figs. 1, 2; Layard, Proc. Zool. Soc., 1875, p. 431; Finsch, Proc. Zool. Soc., 1877, p. 731.

[No. 43. Matuka. Male.

No. 44. „ Female.

Eyes black. These little birds were flying in considerable numbers about a large tree covered with red blossom; only a few, however, were brought on board.

No. 59. Kandavu. Male. Eyes and legs black.

No. 60. „ Female.

No. 85. „ Male.

No. 86. „ Female.

Eyes and bill black; legs a bluish tinge with soles yellow. Stomach contained portions of insects. Shot August 5.

No. 70. Kandavu. Male.]

In one female (No. 60) the red on the vertex and chin is more restricted; on the rump it is wanting in all; in No. 60 also in the vertex. No. 86 shows some red feathers on the rump, but none on the vertex.

10. *Ptilotis carunculata*, Gm. (Pl. XII. fig. 1).

Certhia carunculata, Gm.

Ptilotis carunculata, Layard, Proc. Zool. Soc., 1875, p. 432; Finsch, Proc. Zool. Soc., 1877, p. 732.

[No. 47. Matuka. Male. (Specimen figured.)

No. 48. „ Female.

These birds (the same as Nos. 12, 13, 14, and 15 from Tongatabu) did not appear so common as in Tongatabu, and seem to be rather smaller.]

Long. alæ.	Caud.	Rostr. a front.	
in. lin.	in. lin.	lin.	
3 3	2 8	7½	♂ No. 47.
3 3	2 .5	7	♀ „ 48.