

SPECIES.	1. North Atlantic.	2. South Atlantic.	3. Southern Ocean.	4. Seas of Malay Archip.	5. North Pacific.	6. South Pacific.	7. Seas of South America.
<i>Styela lactea</i> , . . . . .			+				
<i>exigua</i> , . . . . .						+	
<i>clava</i> , . . . . .					+		
<i>rudicosa</i> , . . . . .						+	
<i>oblonga</i> , . . . . .							+
<i>flava</i> , . . . . .							+
<i>glans</i> , . . . . .							+
<i>Bathyoncus mirabilis</i> , . . . . .			+				
<i>Polycarpa pedata</i> , . . . . .				+			
<i>viridis</i> , . . . . .						+	
<i>tinctor</i> , . . . . .						+	
<i>minuta</i> , . . . . .			+				
<i>molguloides</i> , . . . . .						+	
<i>quadrata</i> , . . . . .				+			
<i>pilella</i> , . . . . .		+					
<i>rigida</i> , . . . . .						+	
<i>longisiphonica</i> , . . . . .						+	
<i>irregularis</i> , . . . . .				+			
<i>sulcata</i> , . . . . .				+		+	
<i>radicata</i> , . . . . .							
Family ASCIDIIDÆ.							
<i>Corynascidia sukmi</i> , . . . . .			+				+
<i>Corella japonica</i> , . . . . .				+	+		
<i>Abyssascidia wyvillii</i> , . . . . .						+	
<i>Pachychlæna oblonga</i> , . . . . .						+	
<i>obesa</i> , . . . . .						+	
<i>gigantea</i> , . . . . .		+					
<i>Ascidia meridionalis</i> , . . . . .							+
<i>challengeri</i> , . . . . .			+				
<i>vasculosa</i> , . . . . .			+				
<i>translucida</i> , . . . . .			+				
<i>tenera</i> , . . . . .							+
<i>pyriformis</i> , . . . . .						+	
<i>falcigera</i> , . . . . .	+						
<i>cylindracea</i> , . . . . .						+	
<i>despecta</i> , . . . . .			+				
<i>nigra</i> , . . . . .	+	+					
<i>placenta</i> , . . . . .			+				
<i>Hypobythius calycodes</i> , . . . . .					+		
<i>moseleyi</i> , . . . . .							+
<i>Ciona flemingi</i> , . . . . .	+						
<i>savignyi</i> , . . . . .					+		