

TABLE I.—COMPARATIVE VIEW OF THE FORAMINIFERA OF VARIOUS MARINE DEPOSITS.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
1	<i>Nubecularia divaricata</i> , Br., . . .						Globigerina Ooze. Station 98; depth 1750 fath.											1	
2	" <i>inflata</i> , Br., . . .						Globigerina Ooze. Station 388; depth 1990 fath.											2	
3	" <i>lucifuga</i> , Defr., . . .						Globigerina Ooze. Station 271; depth 2426 fath.											3	
4	" <i>tibia</i> , J. & P., . . .				x		Pteropod Ooze. Station 24; depth 390 fath.											4	
5	<i>Biloculina bulloides</i> , d'Orb., . . .						Pteropod Ooze. Station 337; depth 1240 fath.											5	
6	" <i>comata</i> , Br., . . .	x	x		x		Red Clay. Station 9; depth 3150 fath.											6	
7	" <i>depressa</i> , d'Orb., . . .			x	x													7	
8	" <i>var. serrata</i> , Br., . . .	x			x													8	
9	" <i>elongata</i> , d'Orb., . . .			x														9	
10	" <i>irregularis</i> , d'Orb., . . .			x														10	
11	" <i>laevis</i> (Defr.), . . .			x														11	
12	" <i>ringens</i> (Lamk.), . . .			x														12	
13	" <i>var. denticulata</i> , Br., . . .			x														13	
14	" <i>sphaera</i> , d'Orb., . . .			x														14	
15	<i>Spiroloculina acutimargo</i> , Br., . . .			x														15	
16	" <i>convexiuscula</i> , Br., . . .																	16	
17	" <i>crenata</i> , Kar., . . .					x												17	
18	" <i>excavata</i> , d'Orb., . . .				x													18	
19	" <i>fragilissima</i> , Br., . . .				x													19	
20	" <i>grata</i> , Terq., . . .				x													20	
21	" <i>limbata</i> , d'Orb., . . .				x													21	
22	" <i>nitida</i> , d'Orb., . . .				x													22	
23	" <i>planulata</i> (Lamk.), . . .				x													23	
24	" <i>robusta</i> , Br., . . .				x													24	
25	" <i>tenuis</i> (Czjzek), . . .		x															25	
26	<i>Miliolina agglutinans</i> (d'Orb.), . . .								x									26	
27	" <i>alveoliniformis</i> , Br., . . .							x	x									27	
28	" <i>amygdalooides</i> , Br., . . .							x										28	
29	" <i>auberiana</i> (d'Orb.), . . .					x												29	
30	" <i>bicornis</i> (W. & J.), . . .				x													30	
31	" <i>bucculenta</i> , Br., . . .				x													31	
32	" <i>cuvieriana</i> (d'Orb.), . . .				x					x								32	
33	" <i>ferussacii</i> (d'Orb.), . . .				x				x									33	
34	" <i>insignis</i> , Br., . . .				x				x									34	
35	" <i>labiosa</i> (d'Orb.), . . .				x			x										35	
36	" <i>linnaeanæ</i> (d'Orb.), . . .				x			x										36	
37	" <i>macilenta</i> , Br., . . .				x			x										37	
38	" <i>oblonga</i> (Montag.), . . .		x		x			x							x	x	x	38	
39	" <i>parkeri</i> , Br., . . .		x		x			x							x	x	x	39	
40	" <i>pygmaea</i> (Rss.), . . .			x				x							x	x	x	40	
41	" <i>reticulata</i> (d'Orb.), . . .			x				x							x	x	x	41	
42	" <i>secans</i> (d'Orb.), . . .			x				x							x	x	x	42	
43	" <i>seminulum</i> (Linn.), . . .	x			x			x							x	x	x	43	