

PLATE XLIX.

TRITAXIA. — VALVULINA.

	Diam.	Page
Figures 1-7.— <i>Tritaxia caperata</i> , Brady,		390
Figs. 1 <i>a</i> , 2. Adult specimens, lateral aspect ; 1 <i>b</i> , oral aspect,	× 16	
Fig. 3 <i>a</i> , Young specimen, lateral aspect ; <i>b</i> , oral aspect,	× 16	
Fig. 4. Specimen laid open longitudinally ; fig. 5, specimen broken transversely;—showing the labyrinthic interior,	× 16	
Fig. 6. Longitudinal section of the test,	× 30	
Fig. 7. Portion of the outer wall of the same more highly magnified, showing the pore-canals,	× 120	
„ 8, 9.— <i>Tritaxia tricarinata</i> , Reuss,	× 35	389
Figs. 8 <i>a</i> , 9. Lateral aspect ; <i>b</i> , oral aspect.		
„ 10, 11.— <i>Tritaxia indiscreta</i> , Brady,	× 25	389
Figs. 10 <i>a</i> , 11. Lateral aspect ; 10 <i>b</i> , oral aspect.		
„ 12.— <i>Tritaxia lepida</i> , Brady,	× 80	389
<i>a</i> , Lateral aspect ; <i>b</i> , oral aspect,		
„ 13, 14.— <i>Valvulina fusca</i> , Williamson sp.,		392
Fig. 13. <i>a</i> , Superior aspect ; <i>b</i> , inferior aspect ; <i>c</i> , peripheral aspect,	× 50	
Fig. 14. Adherent specimen,	× 40	
„ 15, 16.— <i>Valvulina conica</i> , Parker and Jones,		392
Fig. 15. <i>a</i> , Superior aspect ; <i>b</i> , inferior aspect ; <i>c</i> , peripheral aspect,	× 50	
Fig. 16. Colony of specimens adherent to the test of <i>Saccamina sphaerica</i> ,	× 40	