

PLATE LIV.

CASSIDULINA.—BULIMINA.

	Diam.	Page
Figures 1-3.— <i>Cassidulina lævigata</i> , d'Orbigny,	× 75	428
<p style="margin-left: 40px;">Fig. 1. <i>a</i>, Superior lateral aspect; <i>b</i>, inferior aspect; <i>c</i>, peripheral aspect.</p> <p style="margin-left: 40px;">Fig. 2. Specimen with carinate margin.</p> <p style="margin-left: 40px;">Fig. 3. Specimen with serrate keel.</p>		
„ 4, 5.— <i>Cassidulina crassa</i> , d'Orbigny,		429
<p style="margin-left: 40px;">Fig. 4. <i>a</i>, Superior lateral aspect; <i>b</i>, inferior aspect; <i>c</i>, peripheral aspect, × 60</p> <p style="margin-left: 40px;">Fig. 5. <i>a</i>, Superior lateral aspect; <i>b</i>, inferior aspect; <i>c</i>, peripheral aspect, × 75</p>		
„ 6-10.— <i>Cassidulina bradyi</i> , Norman,	× 75	431
<p style="margin-left: 40px;">Fig. 10. <i>a</i>, Superior lateral aspect; figs. 6, 7, 10 <i>b</i>, inferior aspect; fig. 8, peripheral aspect; fig. 9, oral aspect.</p>		
„ 11-16.— <i>Cassidulina parkeriana</i> , Brady,	× 75	432
<p style="margin-left: 40px;">Figs. 11-14. Lateral aspects; figs. 15, 16, oral aspects.</p>		
„ 17.— <i>Cassidulina subglobosa</i> , Brady,	× 60	430
<p style="margin-left: 40px;"><i>a</i>, Lateral aspect; <i>b, c</i>, ventral and dorsal peripheral aspects.</p>		
„ 18.— <i>Bulimina contraria</i> , Reuss, sp.,	× 60	409
<p style="margin-left: 40px;"><i>a</i>, Superior lateral aspect; <i>b</i>, inferior aspect; <i>c</i>, peripheral aspect.</p>		