

PLATE LXV.

NODOSARIA.—MARGINULINA.—LINGULINA.—FRONDICULARIA.

(b, Oral aspect.)

		Diam.	Page
Figures 1, 2.— <i>Nodosaria intercellularis</i> , Brady,	.	× 40	515
„ 3, 4.—Portions of the shell more highly magnified,	.	× 100	
„ 5, 6.— <i>Marginulina glabra</i> , d'Orbigny,	.	× 30	527
„ 7–9.— <i>Amphicoryne falx</i> , Jones and Parker, sp.,	.	× 50–60	556
„ 10–13.— <i>Marginulina costata</i> , Batsch, sp.,	.		528
Fig. 10. × 40 ; fig. 11, × 30 ; figs. 12, 13,	.	× 20	
„ 14, 15.— <i>Lingulina carinata</i> , var. <i>seminuda</i> , Hantken,	.	× 12	518
„ 16, 17.— <i>Lingulina carinata</i> , d'Orbigny,	.	× 90	517
„ 18.— <i>Frondicularia spathulata</i> , Brady,	.	× 60	519
„ 19.— <i>Frondicularia compta</i> , Brady,	.	× 60	520
„ 20–23.— <i>Frondicularia alata</i> , d'Orbigny,	.		522
Specimens in different stages of growth.	.		
Figs. 20–22. × 15 ;—fig. 23, young shell,	.	× 20	