

## PLATE XCVII.

### ANOMALINA.—CARPENTERIA.

	Diam.	Page
Figures 1, 2.— <i>Anomalina coronata</i> , Parker and Jones, . . . . .		675
Fig. 1. <i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect, . . . . .	× 40	
Fig. 2. Peripheral aspect, . . . . .	× 50	
„ 3-6.— <i>Anomalina polymorpha</i> , Costa, . . . . .	× 35 - 45	676
Figs. 3-5. Lateral aspects; fig. 6, peripheral aspect.		
„ 7.— <i>Anomalina polymorpha</i> (?), Costa, . . . . .	× 45	676
<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		
„ 8-14.— <i>Carpenteria proteiformis</i> , Goës, . . . . .		679
Figs. 8-10. Lateral aspect, . . . . .	× 15-17	
Fig. 11. Longitudinal section, not quite central; showing the arrangement of the segments and the thickness of the walls, . . . . .	× 18	
Figs. 12-14. Portions of the surface of different specimens, more highly magnified, . . . . .	× 50	
(Assigned in MS. to the allied genus <i>Rupertia</i> before the publication of Dr. Goës' description.)		