

PLATE CIII.

PULVINULINA.

		Diam.	Page
Figures	1, 2.— <i>Pulvinulina menardii</i> , d'Orbigny, sp.,	× 35	690
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect. Fig. 1. Bottom specimen; fig. 2, surface specimen.		
,	3.— <i>Pulvinulina menardii</i> , var. <i>fimbriata</i> , nov.,	× 35	691
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect.		
,	4—6.— <i>Pulvinulina tumida</i> , Brady,	× 35	692
	Figs. 4 <i>a</i> , 6. Superior aspect; fig. 4 <i>b</i> , inferior aspect; fig. 4 <i>c</i> , 5, peripheral aspect. Figs. 4, 5. Bottom specimens; fig. 6, surface specimen.		
,	7.— <i>Pulvinulina patagonica</i> , d'Orbigny, sp.,	× 35	693
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		
,	8—10.— <i>Pulvinulina canariensis</i> , d'Orbigny, sp.,	× 35	692
	<i>a,a,a</i> , Superior aspect; <i>b,b,b</i> , inferior aspect; <i>c,c</i> , peripheral aspect. Figs. 8, 9. Bottom specimens; fig. 10, surface specimen.		
,	11, 12.— <i>Pulvinulina crassa</i> , d'Orbigny, sp.,	× 40	694
	<i>a,a</i> , Superior aspect; <i>b,b</i> , inferior aspect; <i>c,c</i> , peripheral aspect. Fig. 11. Bottom specimen; fig. 12, surface specimen.		
,	13, 14.— <i>Pulvinulina exigua</i> , n. sp.,	× 40	696
	<i>a,a</i> , Superior aspect; <i>b,b</i> , inferior aspect; <i>c,c</i> , peripheral aspect.		