

PLATE XXIV.¹

TURRITIGERA.—RETEPORELLA.—BIFAXARIA.—HASWELLIA, &c.

	PAGE
Figure 1A.— <i>Turritigera stellata</i> ,	130
1B, orifice with columnar processes ; 1C, 1E, avicularia ; 1D, dorsal opening with young Crinoid issuing from it ; 1F, orifice with avicularian process ; 1G, back view.	
,, 2A.— <i>Reteporella myriozoides</i> ,	127
2B, magnified ; 2C, orifice and avicularium.	
,, 3A.— <i>Bifaxaria denticulata</i> ,	82
3B, magnified ; 3C, avicularia.	
,, 4A.— <i>Bifaxaria papillata</i> (Pl. XIII. fig. 4),	81
4B, 4C, magnified ; 4D, showing papilliform avicularium.	
,, 5A.— <i>Bifaxaria abyssicola</i> ,	82
5B, magnified ; 5C, 5D, lateral aspect ; 5E, transverse section of the zoarium, showing the position of the zoecia and avicularia.	
,, 6.— <i>Bifaxaria corrugata</i> , showing papilliform avicularia (Pl. XIII. fig. 3),	80
,, 7A.— <i>Tubucellaria opuntioides</i> * (Pl. XXXVI. fig. 19),	100
7B, magnified ; 7C, orifice, more highly magnified.	
,, 8A, 8B.— <i>Tessaradoma boreale</i> ,	174
8C, magnified ; 8D, more highly magnified ; 8E, showing median pore with <i>Rotalina</i> attached.	
,, 9A.— <i>Haswellia australiensis</i> ,	172
9B, magnified ; 9C, 9D, 9F, 9G, orifices at various stages ; 9H, transverse section.	
,, 10A.— <i>Haswellia auriculata</i> , *	173
10B, 10C, older part of zoarium and orifices ; 10D, oœcium ; 10E, primary orifice with emarginate lower border.	

¹ The species thus marked (*) have been re-named since the plate was printed off.