Zoology Part XXXI: Report on the KERATOSA. By N. Poléjaeff. Bound in Volume 11,1884.

the whole, our knowledge of the group is in this direction so very fragmentary that even in this case the possibility of any deductions and generalisations is entirely excluded. The annexed Table has, accordingly, no other object than to render conspicuous the comparative richness in Keratosa of the different localities visited by the Challenger, as well as the depths from which they have been obtained. The depth (in fathoms) is indicated by the figures in the columns, s.w. = shallow water.

BATHYMETRICAL TABLE.

	Portugal.	Bermudas.	Nova Scotia.	Brazil.		Tristan da Cunha.	Eastern Coast of Australia.			New Hebrides.	Wednesday Island.	Admiralty Islands.	Philippine Islands.	Japan.	Honoruru.	Tahiti.
				Barra Grande.	Bahia.		Bass Strait.	Port Jackson.	Torres Straits.							
Ianthella flabelliformis, Pallas,									28							
Spongelia spinifera, F. E. Schulze,								7								
,, *pallescens*, O. Schmidt,					s.w.											
,, *horrida*, Selenka,									8							
Psammoclema ramosum, Marsh.,							38–40									
,, *vosmaeri*, n. sp.,									8							
,, *foliaceum*, n. sp.,							38–48									
Psammopemma densum, Marsh.,			83					7								
,, *porosum*, n. sp.,					s.w.											
Coscinoderma confragosum, n. sp.,	220															
,, *denticulatum*, n. sp.,															s.w.	
,, *altum*, n. sp.,						60										
Euspongia officinalis, Linn., var. *lobosa*, n. var.,					s.w.											
Hippospongia anomala, n. sp.,									8							
,, *mauritiana*, Hyatt,										60–70						
Cacospongia levis, n. sp.,				400												
,, *amorpha*, n. sp.,					s.w.											
,, *murrayi*, n. sp.,								30–35								
,, *vesiculifera*, n. sp.,								7								
,, *procumbens*, n. sp.,	220															
,, *dendroides*, n. sp.,													18			
,, *spinifera*, n. sp.,										60–70						
,, *tuberculata*, n. sp.,							38–40									
,, *intermedia*, n. sp.,										60–70						
,, *irregularis*, n. sp.,									28							
,, *oligoceras*, n. sp.,													18			
,, *compacta*, n. sp.,					s.w.											
,, *collectrix*, F. E. Schulze,													12–20	8		
Stelospongos longispinus, Duch. and Mich.,				400												
Carteriospongia otahitica, Esper,												s.w.				
,, *radiata*, Hyatt,											s.w.					
Luffaria variabilis, n. sp.,										60–70						s.w.
Verongia hirsuta, Hyatt,		s.w.														
,, *tenuissima*, Hyatt,				400												

http://19thcenturyscience.org/HMSC/HMSC-Reports/Zool-31/README.htm