Dr. Schramm, Guadeloupe.

Pentacrinus asterius.

W. Stimpson, Cuba.

Pentacrinus decorus.

Sir Rawson, Barbados.

 $egin{aligned} A. & egin{aligned} Pentacrinus mülleri. \ Pentacrinus decorus. \ Antedon. \ Actinometra. \ B. & Holopus rangi. \end{aligned}$

A LIST OF THE KNOWN LIVING SPECIES OF STALKED CRINOIDS, SHOWING THEIR BATHYMETRICAL AND GEOGRAPHICAL DISTRIBUTION.

Explanation of the Letters used.

- A. Species discovered by the "Blake."
- B. Previously known species collected by the "Blake" and the U. S. Coast Survey Expeditions.
- C. Species discovered by the Challenger.
- D. Previously known species collected by the Challenger.
- E. Species discovered by the ships of the Eastern Telegraph Company.
- F. Species discovered by Dr. L. Döderlein.
- I. Previously known species collected by the telegraph steamer "Investigator," Captain E. Cole.
- J. Previously known species collected by the "Josephine" (Swedish).
- N. Species discovered by the "Vöringen" (Norwegian).
- P. Species discovered by the "Porcupine."
- Q. Previously known species collected by the "Lightning," "Porcupine," and "Knight Errant."
- R. Previously known species collected for Sir Rawson Rawson.
- T. Previously known species collected by the "Talisman" and "Travailleur" (French).
- V. Species discovered by the "Vega" (Swedish).
- X. Species discovered by Mr. Damon's collectors.
- Y. Previously known species obtained by Mr. Damon's collectors.