

PLATE XA.

Fig. 1.	Extremity of a dorsal bristle of <i>Polynoë iphionoides</i> ,	×	90.
Fig. 2.	One of the upper or longer ventral bristles of the same,	×	90
Fig. 3.	Dorsal bristle of <i>Allmaniella setubalensis</i> ,	×	350.
Fig. 4.	One of the ventral bristles of the same, from the middle of the group,	×	350.
Fig. 5.	Tip of moderately elongated dorsal bristle of <i>Polynoë magnipalpa</i> ,	×	350.
Fig. 6.	Ventral bristle of the same,	×	350.
Fig. 7.	Tip of dorsal bristle of <i>Lagisca (Agnodice) moseleyi</i> ,	×	350.
Fig. 8.	Tip of ventral bristle of the same,	×	350.
Fig. 9.	Tip of long and boldly curved dorsal bristle of <i>Harmothoë benthaliana</i> ,	×	350.
Fig. 10.	Tip of one of the intermediate (or average) ventral bristles of the same,	×	350.
Fig. 11.	Tip of a dorsal bristle of <i>Eunoa yedoensis</i> ,	×	350.
Fig. 12.	Extremity of a ventral bristle of the same,	×	350.
Fig. 13.	Dorsal bristle of <i>Scalisetosus ceramensis</i> ,	×	350.
Fig. 14.	One of the inferior ventral bristles of the same,	×	350.
Fig. 15.	Dorsal bristle of <i>Lepidonotus wahlbergi</i> ,	×	126.
Fig. 16.	Ventral bristle of the same,	×	126.