

SPECIES.	1. North Atlantic.	2. South Atlantic.	3. Southern Ocean.	4. Seas of Malay Archip.	5. North Pacific.	6. South Pacific.	7. Seas of South America.
<i>Sidnyum pallidum</i> , . . . . .			+				
<i>Polyclinum pyriforme</i> , . . . . .			+				
<i>fungosum</i> , . . . . .						+	
<i>depressum</i> , . . . . .				+			
<i>molle</i> , . . . . .		+					
<i>incertum</i> , . . . . .							+
<i>minutum</i> , . . . . .			+				
<i>Aplidium incrustans</i> , . . . . .		+					
<i>fuscum</i> , . . . . .			+				
<i>leucophæum</i> , . . . . .			+				
<i>crassum</i> , . . . . .		+					
<i>fallax</i> , . . . . .	+						
<i>despectum</i> , . . . . .	+						
<i>fumigatum</i> , . . . . .			+	+			
<i>Amaroucium variabile</i> , . . . . .			+				
var. <i>tenerum</i> , . . . . .			+				
<i>globosum</i> , . . . . .			+				
<i>complanatum</i> , . . . . .			+				
<i>irregulare</i> , . . . . .							+
var. <i>concinnum</i> , . . . . .							+
<i>pallidulum</i> , . . . . .							+
<i>recumbens</i> , . . . . .							+
<i>hepaticum</i> , . . . . .							
<i>lævigatum</i> , . . . . .							+
<i>colelloides</i> , . . . . .		+					
<i>albidum</i> , . . . . .						+	
<i>nigrum</i> , . . . . .							+
<i>Psammaphidium spongiforme</i> , . . . . .						+	
<i>effrenatum</i> , . . . . .							+
<i>rude</i> , . . . . .							
<i>subviride</i> , . . . . .		+					
<i>exiguum</i> , . . . . .		+					
<i>ovatum</i> , . . . . .				+			
<i>retiforme</i> , . . . . .			+				
<i>flavum</i> , . . . . .							+
<i>pyriforme</i> , . . . . .				+			
(?) <i>ignotus</i> , . . . . .							+
Family DIDEMNIDÆ.							
<i>Didemnum savignii</i> , . . . . .			+				
<i>aurantiacum</i> , . . . . .						+	
<i>inermis</i> , . . . . .	+						
<i>Leptoclinum tonga</i> , . . . . .						+	
<i>moseleyi</i> , . . . . .				+			