

Family, Genus, and Species.	Range in Depth.
————— (?) <i>clava</i> , . . . . .	450 fathoms.
————— (?) <i>pyriformis</i> , . . . . .	Shallow.
<i>Cystodytes draschii</i> , . . . . .	400 fathoms.
<i>philippinensis</i> , . . . . .	10 „
<i>Symplegma viride</i> , . . . . .	Shallow water.
<b>POLYOLINIDÆ—</b>	
<i>Pharyngodictyon mirabile</i> , . . . . .	1600 fathoms.
<i>Tylobranchion speciosum</i> , . . . . .	10-100 „
<i>Atopogaster gigantea</i> , . . . . .	55 „
<i>aurantiaca</i> , . . . . .	(?) 85 „
<i>informis</i> , . . . . .	.....
<i>elongata</i> , . . . . .	55 „
var. <i>pallida</i> , . . . . .	10-20 „
<i>Morchellioides affinis</i> , . . . . .	10-60 „
<i>Morchellium giardi</i> , . . . . .	20-60 „
<i>Sidnyum pallidum</i> , . . . . .	50-75 „
<i>Polyclinum pyriforme</i> , . . . . .	10-60 „
<i>fungosum</i> , . . . . .	6-15 „
<i>depressum</i> , . . . . .	3-11 „
<i>molle</i> , . . . . .	600 „
<i>incertum</i> , . . . . .	55 „
<i>minutum</i> , . . . . .	20-60 „
<i>Aplidium incrustans</i> , . . . . .	600 „
<i>fuscum</i> , . . . . .	20-60 „
<i>leucophæum</i> , . . . . .	10-60 „
<i>crassum</i> , . . . . .	Shallow water.
<i>fallax</i> , . . . . .	10 fathoms.
<i>despectum</i> , . . . . .	51 „
<i>fumigatum</i> , . . . . .	10-100 „
<i>Amaroucium variabile</i> , . . . . .	10-100 „
var. <i>tenerum</i> , . . . . .	10-60 „
<i>globosum</i> , . . . . .	10-60 „
<i>complanatum</i> , . . . . .	50-120 „
<i>irregulare</i> , . . . . .	55 „
var. <i>concinnum</i> , . . . . .	55 „
<i>pallidulum</i> , . . . . .	12 „
<i>recumbens</i> , . . . . .	245 „
<i>hepaticum</i> , . . . . .	.....
<i>lævigatum</i> , . . . . .	55 „
<i>colelloides</i> , . . . . .	150 „
<i>albidum</i> , . . . . .	38 „
<i>nigrum</i> , . . . . .	28 „
<i>Psammaplidium spongiforme</i> , . . . . .	7 „
<i>effrenatum</i> , . . . . .	600 „
<i>rude</i> , . . . . .	.....