

Of uncertain relationship.

——— *carunculata* (Schneider).1788. *Sepia carunculata*, Schneider, Beobacht. u. Entdeck., Bd. v. p. 42 (*fide* d'Orb.).1845. *Loligo carunculata*, d'Orb., Moll. viv., p. 352.

Family XII. TAONOTEUTHI, Steenstrup, 1861.

Subfamily CHIROTEUTHIDÆ, Gray, 1849.

~~*Chiroteuthis*, d'Orbigny, 1839.~~*Loligopsis*, Férussac (*pars*).1. *Chiroteuthis veranyi* (Férussac), d'Orbigny.1835. *Loligopsis Veranyi*, Fér., Mag. de Zool., ann. v., cl. v., pl. lxxv.1839. *Chiroteuthis Veranyi*, d'Orb., Céph. acét., p. 325; Calmarets, pls. ii., iv. figs. 17-23.1851. *Loligopsis Veranyi*, Vérany, Céph. médit., p. 120, pls. xxxviii., xxxix.2. *Chiroteuthis bonplandi* (Vérany), d'Orbigny.1837. *Loligopsis Bonplandi*, Vér., Mem. Accad. Sci. Torino, ser. 2, t. i. p. 99, pl. i.1839. *Chiroteuthis Bonplandi*, d'Orb., Céph. acét., p. 326.3. *Chiroteuthis lacertosa*, Verrill.1881. *Chiroteuthis bonplandi* (?), VII., "Blake" Rep., p. 102, pl. iii. fig. 1.1881. " " *lacertosa*, VII., Ceph. N. E. Amer., pp. 299, 408, pl. xlvii. fig. 1; pl. lvi. fig. 1.*Histiopsis*, Hoyle, 1885.1. *Histiopsis atlantica*, Hoyle (Pl. XXX. figs. 9-15; p. 180).1885. *Histiopsis atlantica*, Hoyle, Narr. Chall. Exp., vol. i. p. 273 (*nomen tantum*).

1885. " " Hoyle, Diagnoses II., p. 201.

Calliteuthis, Verrill, 1880.*Loligopsis*, Owen (*pars*).1. *Calliteuthis reversa*, Verrill (Pl. XXXIII. figs. 12-15; p. 183).1880. *Calliteuthis reversa*, VII., Amer. Journ. Sci. and Arts, vol. xx. p. 393.

1881. " " VII., Ceph. N. E. Amer., p. 295, pl. xlvi. fig. 1.

1884. " " VII., Second Catal., p. 243.

2. *Calliteuthis ocellata* (Owen), Verrill.1881. *Loligopsis ocellata*, Owen, Trans. Zool. Soc. Lond., vol. xi. pt. 5, pp. 139-143, pl. xxvi. figs. 3-8; pl. xxvii.1881. *Calliteuthis ocellata*, VII., Ceph. N. E. Amer., p. 402.