and taper gradually to blunt points; their section shows a triangle projecting inwards, and a rounded surface looking outwards; the former much more prominent than the latter. The *umbrella* is wide, extending one-third up the arms, a little further dorsally than ventrally. The *suckers* are comparatively small, closely set, and deeply cupped. No hectocotylus was found on either specimen, hence they are considered to be females, a supposition subsequently verified in the case of the one whose body was preserved.

The Surface is perfectly smooth.

The Colour is dull purple, palest on the body, and deepest on the inner surface of the umbrella.

The Jaws are shown on Pl. VIII. figs. 5, 6.

Dimensions.

Length, total, .							•	. 1	65 n	nm.
End of body to	mantle-	nargin,			•				45	**
End of body to	еуе,		•	•	•			•	55	"
Breadth of bod	у, .	•	•	•					45	,,
Breadth of hea	d, .	•	•	•	•	•		•	35	,,
Eye to edge of umbrella, .			•	•				•	50	,,
Diameter of largest sucker,			•	•	•			٠.	3	,,
								Right.		Left.
Length of first arm,1	•	0.00	•		•			100 mm	•	105 mm.
Length of second arm,		•	•	•	•		•	105 "		100 "
Length of third arm,	•	•	¥•3		•	•		110 "		100 "
Length of fourth arm,	•	3. 4 .5	•	•	•			110 "		105 "

The better preserved of these two specimens is of interest as having come from the Southern Ocean, of the fauna of which we have but scanty reports; the mangled remains of another from the South Pacific, which have been referred with some doubt to the same species, indicate that it may perhaps have a wide range in deep water, for both examples appear to be from a depth of about 2000 fathoms.

Eledone brevis, Hoyle (Pl. VIII. fig. 7).

```
1885. Eledone brevis, Hoyle, Diagnoses I., p. 230. 1885. , , Hoyle, Prelim. Rep. I., p. 106.
```

Habitat.—Station 320, off Monte Video, February 14, 1876; lat. 37° 17′ S., long. 53° 52′ W.; 600 fathoms; green sand. Three specimens, ♀.

The Body is short, rounded, and depressed; blunt behind, and deeply grooved below. The mantle-opening extends one-third round the animal, and terminates immediately below the eyes. The siphon is short, acutely pointed, and extends less than halfway to the umbrella margin.

¹ The lengths of the arms are measured from the eye.