

## VIII. THE RED SEA.

This has been separated as a distinct region, since it seems to contain several peculiar forms.

*Octopus vulgaris* (also I. III. IV. V. VI.  
VII. IX. X. XIII.).

„ *horridus* (also VII.).

„ *macropus* (also V. VI. IX. X.).

*Sepia savignyi.*

*Sepia rouxii* (also IX.).

„ *elongata.*

„ *lefebrei.*

„ *gibbosa.*

*Sepioteuthis loliginiformis* (also VII.).

*Loligo arabica.*

## IX. THE INDO-MALAYAN REGION.

This province I regard as extending from the Red Sea eastward and northward somewhat further than the Island of Formosa, and as including the Philippines, Papua and all the Malay Archipelago. Probably a portion of the northern coast of Australia should be added, as is done by Fischer, but of this I am not certain.

*Argonauta argo* (also A. C. II. IV. V.  
VII. IX. XI.).

„ *tuberculata* (also C. VII. XI.  
XII.).

„ *hians* (also A. C.).

*Octopus vulgaris* (also I. III. IV. V. VI.  
VII. VIII. X. XIII.).

„ *granulatus* (also III. IV. VI.  
VII. XV.).

† „ *areolatus* (also X.).

„ *aculeatus* (also XIII.).

„ *macropus* (also V. VI. VIII.  
X.).

† „ *bandensis.*

„ *membranaceus.*

„ *punctatus* (also X. XIV.).

*Cistopus indicus* (also VII.).

*Sepiola schneehageni.*

„ *rossiaeformis.*

„ *penares.*

*Idiosepius pygmæus* (also B.).

† *Spirula peronii* (also III. XI.).

† *Sepia smithi.*

† „ *papuensis.*

„ *pagenstecheri.*

„ *singaporensis.*

„ *latimanus* (also XI.).

„ *aculeata.*

„ *indica* (also XI.).

„ *rostrata* (also XI.).

„ *rouxii* (also VIII.).

† „ *elliptica.*

„ *brevimana.*

† „ *recurvirostra.*

† „ *sulcata.*

† „ *kiensis.*

† „ *pfefferi.*

„ *brachycheira.*

*Sepiella inermis.*

„ *curta.*

„ *ocellata.*

„ *maindroni* (also X.).

*Sepioteuthis blainvilliana.*

„ *neoguinaica.*