

DESCRIPTION OF GENERA AND SPECIES.

GROUP A. ECTOPROCTA.

SUB-ORDER II. CYCLOSTOMATA, Busk.

Cyclostomata, Bk., Smitt, Hincks, Auctt.

Tubuliporina, M.-Edwards, Johnst., &c.

Auloporina and *Myrioporina* (pars), Ehrenberg.

Cerioporina (pars), Bronn.

Centrifuginea (pars), d'Orbigny.

Milléporés à cellules (pars), Blainville.

Character.—Zoëcia tubular, calcareous, partially free or wholly connate or immersed; aperture terminal, inoperculate.

DIVISION I.—ARTICULATA seu RADICATA.

Radicellata, d'Orbigny, Hincks, Smitt, &c.

Articulatæ s. Radicatæ, Bk., Crag Polyz.

Character.—Zoarium branched, divided into distinct internodes by flexible chitinous joints; affixed by chitinous, or calcareous jointed stoloniform radical tubes. Zoëcia disposed in single or double longitudinal series, all facing in one direction.

Family I. CRISIADÆ.

Les Crisies, M.-Edwards.

Crisiadæ, Johnst., Busk, &c.

Crisiidæ, Busk, Hincks, &c.

Criseæ, Smitt.

Crisidea, Reuss.

Crisidæ, d'Orbigny.

Character.—The only family.