terias) glacialis, from Finmark, Iceland, along the coast of Europe into the Mediterranean, and extending to the Canary and Cape Verde Islands. "Asterias (Leptasterias) mülleri, from Finmark, the coast of Norway, and the north of the British area. Asterias hispida, Asterias violacea, and Asterias rubens, from the British area, the last reputed to extend to Senegal. Asterias richardi and "Asterias (Stolasterias) tenuispina, from the Mediterranean, the latter extending to Madeira, the Canary and Cape Verde Islands, and Bermuda. "Asterias (Stolasterias) eustyla, from Nightingale Island. "Asterias (Stolasterias) africana, Asterias capensis, and Asterias rarispina, from the Cape of Good Hope.

Indian Ocean: Two or three species between the parallels of 0° and 40° S.

Asterias borbonica, from the Island of Bourbon. \*Asterias (Stolasterias) calamaria, from Mauritius, and extending to Australia and New Zealand, thus passing into the Pacific. Asterias fungifera bears only the vague record of "Australia"; it may therefore be not correctly included in the Indian Ocean fauna.

SOUTHERN OCEAN: Six species between the parallels of 40° and 60° S.

\*Asterias perrieri, Asterias studeri, Asterias rupicola, and \*Asterias meridionalis, from Kerguelen Island, the last-mentioned also from Heard Island. \*Asterias (Smilasterias) scalprifera, from Heard Island and Marion Island. \*Asterias (Smilasterias) triremis, between Kerguelen and Heard Island.

Eastern Archipelago: Three species between the parallels of 20° N. and 20° S.

Asterias nuda, from Torres Strait. \*Asterias vesiculosa, from the
Arafura Sea, north-west of the Arrou Islands. \*Asterias (Stolasterias)
volsellata, off Zebu, Philippine Islands.

Pacific: Fifty-one (and perhaps fifty-four) species between the parallels of 70° (?) N. and 60° S.

Asterias cribraria, from the Arctic Seas north of Bering Strait. Asterias acervata, from Bering Strait. Asterias camtschatica, Asterias ochotensis, and Asterias pectinata, from Kamtschatka. "Asterias amurensis, from the Gulf of Tartary, and extending to Japan. Asterias japonica, Asterias rollestoni, "Asterias torquata, "Asterias versicolor, and "Asterias (Stolasterias) stichantha, from Japan. Asterias acutispina, off the Island of Oosima. "Asterias (Stolasterias) calamaria from Australia and New Zealand, and extending into the Indian Ocean. Asterias fungifera is reputed to be from Australia, but the exact locality is unknown, and its reference to the