

	Depth in Fathoms.	Occurrence in other Zones.
<i>PORCELLANASTERIDÆ.</i>		
<i>CTENODISCINÆ.</i>		
<i>Ctenodiscus procurator</i>	245	Also Littoral and Abyssal.
<i>ASTROPECTINIDÆ.</i>		
<i>ASTROPECTININÆ.</i>		
<i>Leptoptychaster antarcticus</i>	210
<i>Astropecten brevispinus</i>	345
<i>Astropecten hermatophilus</i>	450
<i>Astropecten cingulatus</i>	400	Also Littoral.
<i>Bathybiaster loripes</i>	245
<i>PENTAGONASTERIDÆ.</i>		
<i>PENTAGONASTERINÆ.</i>		
<i>Pentagonaster patagonicus</i>	245	Also Littoral.
<i>Pentagonaster japonicus</i>	345
<i>Pentagonaster arcuatus</i>	345
<i>MINASTERINÆ.</i>		
<i>Minaster cognatus</i>	245	Also Abyssal.
<i>LINCKIIDÆ.</i>		
<i>CHETASTERINÆ.</i>		
<i>Chetaster longipes</i>	450	Also Littoral.
<i>LINCKIINÆ.</i>		
<i>Ophidiaster attenuatus</i>	450
<i>Ophidiaster ophidianus</i>	450
<i>STICHASTERIDÆ.</i>		
<i>Stichaster polygrammus</i>	245
<i>SOLASTERIDÆ.</i>		
<i>SOLASTERINÆ.</i>		
<i>Solaster regularis</i>	175
<i>Solaster paxillatus</i>	345
<i>Lophaster stellans</i>	175	Also Littoral and Abyssal.
<i>PTERASTERIDÆ.</i>		
<i>PTERASTERINÆ.</i>		
<i>Pteraster stellifer</i>	245
<i>Retaster gibber</i>	245
<i>Calyptaster coa</i>	350
<i>ECHINASTERIDÆ.</i>		
<i>ECHINASTERINÆ.</i>		
<i>Cribrella compacta</i>	275
<i>Cribrella obesa</i>	245	Also Littoral.
<i>Cribrella præstans</i>	210
<i>Cribrella simplex</i>	310	Also Littoral.
<i>ASTERIIDÆ.</i>		
<i>Asterias (Cosmasterias) sulcifera</i>	345
<i>Asterias (Stolsaterias) stichantha</i>	345
<i>BRISINGIDÆ.</i>		
<i>Brisinga cricophora</i>	390

The above table comprises 32 species found in the Continental Zone. Of these 8 extend into the Littoral Zone, and 3 extend into the Abyssal Zone; and two of the three which pass into the Abyssal Zone are also found in the Littoral Zone.