

II. "PORCUPINE" EXPEDITIONS.

(1.) LITTORAL ZONE.

Species found in depths which extend from the Shore to 150 fathoms.

	Depth in Fathoms.	Occurrence in other Zones.
<i>ARCHASTERIDÆ.</i>		
<i>PARAROHASTERINÆ.</i>		
<i>Pontaster tenuispinus</i> , var. <i>platynota</i>	150	Also Continental.
<i>Pontaster limbatus</i>	150	Also Continental.
<i>ASTROPECTINIDÆ.</i>		
<i>ASTROPECTININÆ.</i>		
<i>Astropecten irregularis</i>	75	Also Continental.
<i>LUIDINÆ.</i>		
<i>Luidia africana</i>	128
<i>Luidia sarsii</i>	75	Also Continental.
<i>ANTHENGIDÆ.</i>		
<i>Hippasteria plana</i>	100
<i>GYMNASTERIIDÆ.</i>		
<i>Porania pulvillus</i>	106
<i>ECHINASTERIDÆ.</i>		
<i>ECHINASTERINÆ.</i>		
<i>Cribrella oculata</i>	125	Also Continental.
<i>ASTERIIDÆ.</i>		
<i>Asterias (Leptasterias) mulleri</i>	75	Also Continental.

(2.) CONTINENTAL ZONE.

Species found in depths between 150 fathoms and 500 fathoms.

	Depth in Fathoms.	Occurrence in other Zones.
<i>ARCHASTERIDÆ.</i>		
<i>PARAROHASTERINÆ.</i>		
<i>Pontaster tenuispinus</i>	458
<i>Pontaster tenuispinus</i> , var. <i>platynota</i>	363	Also Littoral.
<i>Pontaster limbatus</i>	440	Also Littoral.
<i>PORCELLANASTERIDÆ.</i>		
<i>CTENODISCINÆ.</i>		
<i>Ctenodiscus corniculatus</i>	312	Also Abyssal.
<i>ASTROPECTINIDÆ.</i>		
<i>ASTROPECTININÆ.</i>		
<i>Leptoptychaster arcticus</i>	345	Also Abyssal.
<i>Astropecten irregularis</i>	374	Also Littoral.
<i>Psilaster andromeda</i>	344	Also Abyssal.
<i>Bathybiaster vexillifer</i>	344
<i>LUIDINÆ.</i>		
<i>Luidia sarsii</i>	374	Also Littoral.
<i>PENTAGONASTERIDÆ.</i>		
<i>PENTAGONASTERINÆ.</i>		
<i>Pentagonaster granularis</i>	440