

	LOCALITIES.	RANGE IN DEPTH : FATHOMS.	NATURE OF THE SEA-BOTTOM.	
PHANEROZONIA.				
<i>ARCHASTERIDÆ.</i>				
Subfamily PLUTONASTERINÆ, Sladen.				
<i>Dytaster</i> , Sladen.				
* <i>D. equivocus</i> , Sladen	Arafura Sea.	800	Green mud.	(7)
* <i>D. biserialis</i> , Sladen	Between Madeira and Azores.	2025	Globigerina ooze.	(2)
* <i>D. exilis</i> , Sladen	W. of S. America.	1375	Globigerina ooze.	(8)
* <i>D. exilis</i> , var. <i>carinata</i> , Sladen . .	Off coast of N. America.]	1700	Blue mud.	(4)
* <i>D. exilis</i> , var. <i>gracilis</i> , Sladen . .	W. of Tristan da Cunha.	1900	Globigerina ooze.	(6)
* <i>D. inermis</i> , Sladen	N. of Celebes.	2150	Blue mud.	(9)
* <i>D. madreporifer</i> , Sladen	Off coast of N. America.,"	1240-1700	Blue mud.	(7)
* <i>D. nobilis</i> , Sladen	E. of Buenos Ayres.	2650	Blue mud.	(8)
* <i>D. spinosus</i> , Sladen	36° 10' 0" N., 178° 0' 0" E.	2050	Globigerina ooze.	(9)
<i>D. (?) grandis</i> , Verrill, sp. . . .	E. coast of N. America.	1106-2033	(10)
<i>Plutonaster</i> , Sladen.				
* <i>P. abbreviatus</i> , Sladen	Off the Azores.	1000	Volcanic mud.	(11)
* <i>P. ambiguus</i> , Sladen	E. of Australia (off Sydney).*	950	Green mud.	(12)
* <i>P. bifrons</i> , Wyville Thomson, sp. {	Faerøe Channel; coast of Portugal; Mediterranean (<i>vide</i> Milne-Edwards); N. America; Barent's Sea (<i>vide</i> Norman).	210-1360	{ Globigerina ooze; } { Blue mud. }	(13)
* <i>P. marginatus</i> , Sladen	Near Island of Ascension.	425	Volcanic sand.	(14)
* <i>P. notatus</i> , Sladen	Near the Azores.	1000	Pteropod ooze.	(15)
* <i>P. rigidus</i> , Sladen	E. of N. America.	1700 or 1240	Blue mud.	(16)
* <i>P. rigidus</i> , var. <i>semiarmata</i> , Sladen	E. of N. America.	1340 or 1350	Blue mud.	(17)
<i>P. (?) agassizii</i> , Verrill, sp. . . .	E. of N. America.	182-1342	(18)