

	LOCALITIES.	RANGE IN DEPTH : FATHOMS.	NATURE OF THE SEA-BOTTOM.	
PHANEROZONIA.				
ASTROPECTINIDÆ.				
ASTROPECTININÆ.				
<i>Bathyiaster</i> , Danielssen and Koren.				
* <i>B. loripes</i> , Sladen	W. of South America.	245	Blue mud.	(1)
* <i>B. loripes</i> , var. <i>obesa</i> , Sladen {	Off Kerguelen and Heard Island.	} 75-127	Volcanic mud.	(2)
<i>B. pallidus</i> , Danielssen and Koren	Off Norway and Spitzbergen.	412-1215	Clay.	(3)
<i>B. vexillifer</i> , Wyville Thomson, sp.	Faerøe Channel.	344	(4)
<i>Ilyaster</i> , Danielssen and Koren.				
<i>I. mirabilis</i> , Danielssen and Koren	Off the coast of Norway.	498	Clay.	(5)
Subfamily LUIDINÆ , Sladen.				
<i>Luidia</i> , Forbes.				
* <i>L. africana</i> , Sladen {	Simon's Bay (Cape of Good Hope); coast of Morocco.	{ Shallow to 128 }	(6)
* <i>L. alternata</i> (Say), Lütken {	E. of North America; Florida; Tortugas; St. Thomas, Bahia.	} 71-88	Volcanic sand.	(7)
* <i>L. aspera</i> , Sladen {	Off Philippine Islands; N. of New Guinea.	} 10-150 {	Green mud; Coral mud. }	(8)
<i>L. barbadensis</i> , Perrier	Barbados.	40-209 {	Calcareous pebbles; fine mud. }	(9)
<i>L. bellonæ</i> , Lütken	Panama; Guayaquil; Callao.	(10)
<i>L. brevispina</i> , Lütken	Sandwich Islands; Mazatlan.	(11)
<i>L. californica</i> , Perrier	California.	(12)
<i>L. chefuensis</i> , Grube	Singapore.	(13)
<i>L. ciliaris</i> (Philippi), Gray {	Faerøe Channel; British Islands; Cattegat; coast of France; Mediterranean; Cape Verde Islands (<i>vide</i> Studer).	} Littoral to 87 }	(14)