

I.	GEOGRAPHICAL AREAS						BATHYMETRICAL ZONES				BOTTOM TEMPERATURE: FAHRENHEIT.	SYNONYMA AND REMARKS.
	North Atlantic.	South Atlantic.	Indian Ocean.	Southern Ocean.	Eastern Archipago.	North Pacific.	South Pacific.	Littoral. 0-160 Fathoms.	Continental. 160-500 Fathoms.	Absidal greater than 500 Fathoms		
	II.	III.	IV.	V.	VI.	VII.	L	C	A.			
(1)	+	+	+	L	{ = <i>Asterias equestris</i> , Retzius; <i>Goniaster (Stellaster) equestris</i> , von Martens; <i>Goniaster equestris</i> , Lütken. Incl.: <i>Stellaster Childreni</i> , Gray; <i>Goniaster (Stellaster) Milleri</i> , von Martens; <i>Pentagonaster (Stellaster) Childreni</i> , Perrier.
(2)	+	L	= <i>Pentagonaster (Stellaster) granulosus</i> , Perrier.
(3)	+	+	+	L	{ = <i>Pentagonaster (Stellaster) Incci</i> , Perrier. Incl.: <i>Stellaster Belcheri</i> , Gray; <i>Stellaster gracilis</i> , Möbius; <i>Pentagonaster (Stellaster) Belcheri</i> , Perrier.
(4)	+	L
(5)	+	L	= <i>Pentagonaster (Stellaster) squamulosus</i> , Studer.
(6)	+	...	?	{ = <i>Goniaster (Stellaster) tuberculatus</i> , von Martens; <i>Pentagonaster (Stellaster) tuberculatus</i> , Perrier.
(7)	+	...	?	{ = <i>Gonioidesous capella</i> , Müller and Troschel; <i>Goniaster (Ogmaster) capella</i> , von Martens. Incl.: <i>Dorigona Reversi</i> , Gray; <i>Hosea (?) capella</i> , Gray; <i>Goniaster Milleri</i> , Lütken.
(8)	+	L
(9)	+	...	+	L	{ = <i>Asterias articulata</i> , Linnaé; <i>Artoorealis altera</i> species, Seba; <i>Goniaster articulatus</i> , Lütken.
(10)	?	{ = <i>Asterias cuspidata</i> , Lamarck; <i>Hosea (?) cuspidata</i> , Gray.
(11)	?
(12)	+
(13)	+	...	L	= <i>Anthenea granulifera</i> , Gray.