

	LOCALITIES.	RANGE IN DEPTH: FATHOMS.	NATURE OF THE SEA-BOTTOM.	
PHANEROZONIA				
<i>PENTAGONASTERIDÆ.</i>				
<i>GONIODISCINÆ.</i>				
<i>Goniodiscus</i> , Müller and Troschel.				
<i>G. pedicellaris</i> , Perrier	{ Barbados; St. Vincent; St. Lucia.	{ 115-180	{ Fine blacksand; Hard ground.	{ (1)
<i>G. penicillatus</i> , Philippi	Puerto Montt (Chili).	(2)
<i>G. pleyadella</i> (Lamarck), Müller and Troschel	Moluccas.	(3)
<i>G. sebæ</i> , Müller and Troschel	{ Red Sea; Mauritius; Madagascar; Ceylon; Eastern Archipelago; Fiji Islands; New Guinea.	{	{ (4)
<i>G. seriatus</i> , Müller and Troschel	S.W. Australia.	(5)
<i>G. studeri</i> , de Loriol	Mauritius.	(6)
Subfamily <i>MIMASTERINÆ</i> , Sladen.				
<i>Mimaster</i> , Sladen.				
* <i>M. cognatus</i> , Sladen	Off the W. coast of S. America.	245-1325	Blue mud.	(7)
<i>M. tizardi</i> , Sladen	Faerøe Channel. //	516-555	Mud.	(8)
<i>PENTAGONASTERIDÆ incertæ sedis</i> :				
<i>Anthenoides</i> , Perrier.				
<i>A. peircei</i> , Perrier	{ Barbados; Guadeloupe; St. Lucia.	{ 84-151	Hard ground.	{ (9)
<i>Hoplaster</i> , Perrier.				
<i>H. spinosus</i> , Perrier	{ "Travailleur" 1881, Drag. No. 3.	{ 1261	{ (10)
Family <i>ANTHENEIDÆ</i> , Perrier.				
<i>Anthenea</i> , Gray.]				
* <i>A. acuta</i> , Perrier	Port Jackson; Madras.	6-15	(11)