

	GEOGRAPHICAL AREAS.							BATHYMETRICAL ZONES.			BOTTOM TEMPERATURE: FAHRENHEIT.	SYNONYMA AND REMARKS.
	North Atlantic.	South Atlantic.	Indian Ocean.	Southern Ocean.	Eastern Archipelago.	North Pacific.	South Pacific.	Littoral, 0-160 Fathoms.	Continental, 150-600 Fathoms.	Abyssal, greater than 600 Fathoms.		
	I.	II.	III.	IV.	V.	VI.	VII.	L.	C.	A.		
(1)	+	?	...	L
(2)	+	+	L	= <i>Hosia favesces</i> (pars), Gray.
(3)	L	= <i>Hosia favesces</i> (pars), Gray.
(4)	+	+	...	L	{ = <i>Asterias pentagonula</i> , Lamarok; <i>Goniodiscus pentagonulus</i> , Müller and Troschel; <i>Goniaster pentagonulus</i> , von Martens. Incl.: <i>Authenea chinensis</i> , Gray; <i>Goniodiscus articulatus</i> , Perrier.
(5)	+	...	+	L
(6)	+	...	+	L	{ = <i>Hosia spinulosa</i> , Gray; <i>Goniaster (Hosia) spinulosa</i> , von Martens; <i>Pentagonaster (Astrogonium) spinulosus</i> , Perrier.
(7)	?	L	{ = <i>Asterias obtusangula</i> , Lamarok; <i>Oreaster obtusangulus</i> , Müller and Troschel; <i>Pentaceros obtusangulus</i> , Gray.
(8)	+	L	{ = <i>Pentaceros planus</i> , Linck. Incl.: <i>Asterias equestris</i> (pars), Linné; <i>Asterias phrygiana</i> , Parelus; <i>Asterias Johnstoni</i> , Gray; <i>Hippasteria europæa</i> , Gray; <i>Hippasteria Johnstoni</i> , Gray; <i>Hippasteria cornuta</i> , Gray; <i>Goniaster equestris</i> , Forbes; <i>Astrogonium phrygianum</i> , Müller and Troschel; <i>Goniaster abdensis</i> , Forbes; <i>Astrogonium aculeatum</i> , Barrett; <i>Goniaster phrygianus</i> , Norman; <i>Hippasteria phrygiana</i> , Verrill; <i>Pentagonaster (Astrogonium) aculeatus</i> , Porrier.
(9)	+	L	= <i>Oreaster affinis</i> , Müller and Troschel.
(10)	+	L	= <i>Oreaster alveolatus</i> , Bell.
(11)	?	...	L	= <i>Oreaster australis</i> , Lütken.